

decorative

Decorative lights transcend mere illumination;
they are jewels adorning our spaces,
transforming them into evocative experiences.

CHANGI[®]

2026

Light has no boundaries



DECORATIVE CATALOGUE

index_ decorative

16 Ruddles	44 Silk	82 Coral	114 Cognac
22 Aristo	50 Ivory	88 Brio	118 Viepo
28 Lithos	56 Kernel	92 Plomo	122 Innerbloom
32 Cosmos	62 Lindor	100 Skia	124 Ada
34 Callisto	72 Bulgari	102 Riggo	130 Fovero
38 Vivaldi	76 Glacier	108 Pearl	138 Infini

156

Potiri

164

Entoli

192

Makrys

210

Lucid

232

Diplo

168

Zima

194

Orb

214

Mattone

234

Lusso

178

Malaki

196

Tomasso

218

Paul

242

Helix

182

Skota

198

Pleko

224

Blume

246

Icicle

184

Lactea

204

Zaroma

228

Tulio

252

Lira

190

Klosi

206

Plaka

230

Stiklo

254

Opa

27 YEARS
OF LIGHT

Founded in 1999, Changi Lighting has spent over two and a half decades shaping the language of light. What began as a vision to redefine illumination has evolved into a legacy of design innovation, technical mastery, and timeless elegance.

For 27 years, Changi has stood at the intersection of art and engineering — where every luminaire is more than a fixture; it's a statement of purpose, precision, and poise. Our collections span indoor, outdoor, and decorative lighting, each crafted to embody the brand's enduring philosophy: luxury in simplicity, sophistication in detail.

With a deep focus on architectural lighting, we collaborate with leading architects, interior designers, and visionaries across India to transform structures into stories — where light defines mood, accentuates form, and inspires emotion. Our e-gen range further extends this promise, offering intelligent, energy-efficient solutions that balance performance with affordability.

As we celebrate 27 years of excellence, we look not just to the milestones behind us, but to the brilliance ahead. Guided by our founding principles of innovation, quality, and integrity, Changi Lighting continues to illuminate the future — one space, one vision, one spark at a time.



THE ART OF LIGHT, PERFECTED BY HAND

At Changi Lighting, decorative lighting is never conceived as a mere accent.

It is created as an object of permanence—meant to be experienced daily, admired closely, and valued over time.

Each luminaire in our Decorative Collection begins with a deep respect for material and craft. We work with hand-blown artisan glass because no automated process can recreate its soul. Guided by heat, gravity, and practiced instinct, skilled artisans shape every form individually. Subtle variations in thickness, gentle ripples, and organic contours give each piece a character of its own.

Light passing through hand-blown glass gains depth and warmth. It softens, diffuses, and moves naturally within a space, creating an ambience that feels intimate rather than engineered.

Where heightened brilliance is desired, we incorporate high-purity crystals, selected for exceptional clarity and refined light transmission. Carefully cut and finished, these crystals reveal light in layers—sparkling with restraint, never excess—bringing elegance without visual noise.

Beneath this beauty lies strength. Our luminaires are supported by precision-crafted metalwork in stainless steel and brass, chosen for their durability as much as their finish. Advanced protective coatings, developed specifically for Indian environments, guard against humidity, oxidation, temperature shifts, and everyday wear.


Rooted in craftsmanship yet shaped by contemporary design, the Decorative Collection is defined by balance—between art and engineering, expression and restraint.

**LIGHT THAT FEELS ENDURING.
BEAUTY THAT REMAINS RELEVANT.**

COLOUR CHARACTERISATION

CCT. - CORRELATED COLOUR TEMPERATURE

Correlated Colour Temperature (CCT), measured in Kelvin (K), quantifies the chromaticity of a light source, ranging from warm hues (below 3300K) to cool bluish tones (above 5000K). Warm lighting enhances relaxation, neutral tones balance perception, and cooler lighting optimizes visual acuity and alertness.





CRI (Ra)

The Color Rendering Index (CRI) quantitatively evaluates a light source's ability to reproduce colors accurately compared to their appearance under ideal or natural light. This is determined by comparing the light source to a reference source with the same CCT, using up to 15 standardized color samples. The Ra index, calculated as the average of the first 8 samples, ranges up to 100, with 100 representing near-perfect color rendering. Changli Light offers LEDs in three chromaticity ranges—90, 95, and 97—along with specialized options for specific applications.





CHROMATIC STABILITY (MacAdam)

Chromatic Stability, often evaluated using MacAdam ellipses, quantifies the perceptual uniformity of color produced by a light source under varying conditions. It measures the tolerance for color shift within the CIE chromaticity diagram, with smaller ellipses indicating higher color consistency. This metric is critical in applications requiring precise color rendering, such as display technologies, lighting design, and imaging systems, where deviations can impact performance and visual accuracy.



TM-30

A method for assessing the color rendering of a light source, developed by the Illuminating Engineering Society (IES), incorporates three key concepts: the Fidelity Index (Rf), which offers an accurate evaluation of color rendering using 99 color samples, similar to CRI; the Gamut Index (Rg), which measures the average saturation of the light source; and the Colour Vector, a graphical representation that illustrates saturation deviations of various colors relative to a reference light source. Colors appear more or less saturated depending on their position relative to the reference circle's interior or exterior.



SOURCES WITH CHROMATIC ADJUSTMENT

LIFE TIME

This method evaluates the retention of luminous flux over time, defined by two parameters: L, representing the percentage of luminous flux maintained by the luminaire compared to its initial output after a specified duration, and B, indicating the percentage of luminaires with flux below the L value. For instance, a lifetime rating of 50,000 hours L80B10 signifies that, after 50,000 hours of operation, 90% of the luminaires retain at least 80% of their original luminous flux.

TUNABLE WHITE

The independent control of color temperature and luminous intensity allows for light optimization based on the environment or time of day. This adjustment mimics natural daylight, enhancing quality of life and promoting well-being.

LIGHTING TERMS & CONCEPTS

Quality Criteria for LED Selection

Changi Light meticulously selects its LED lighting sources using the “binning” classification method. Due to manufacturing tolerances, variations in luminous flux, color temperature, and voltage can occur during LED production. To address this, LEDs are categorized into specific “BINs” based on predefined criteria. Changi Light ensures that the selected LEDs for its luminaires belong to matching “BINs,” significantly narrowing the tolerance range for these properties and enhancing the stability of luminous flux, voltage, and color temperature.

Luminous Flux (Lumen)

This is the measurement of the total luminous output emitted by a light source throughout the surrounding space.

Luminous Efficiency (lm/W)

Specifies the efficiency of a light source converting electrical energy into light.

DIMMING

DALI (Digital Addressable Lighting Interface)

DALI is a dimming standard for lighting that facilitates the integration of equipment from various manufacturers into a unified network. A DALI network includes a controller and one or more lighting devices equipped with DALI interfaces.

Analog 1/10V

Continuous dimming via analogue control signal. Light levels can be set anywhere between 10% to 100% of light output.

UGR

The UGR scale unifies various glare evaluation methods by describing subjective perception in measurable terms. It ranges from 10 to 30, with 10 indicating no glare and 30 indicating discomfort glare. The UGR value is not a characteristic of the luminaire but of the entire installation, so the calculated values are based on a common standard installation. Calculating for your specific installation is recommended to ensure the desired UGR value.

Illuminance (Lux)

This is the unit that measures the degree of luminous flux received on a surface. The lux can also be defined as the number of lumens/m²

Luminaire Efficiency - LOR (%)


This is the ratio of light output emitted by the luminaire to the light output emitted by its lamps.

Triac

Phase cutting is achieved by connecting a dimmer in-line between the power supply and the equipment, eliminating the need for an additional control signal. The method of cutting the mains voltage determines whether it is classified as Leading-edge or Trailing-edge dimming.

Dim on Board

The luminaire has an integrated dimmer for direct and individual control.



IK

The IK protection level is an international numerical classification for the degrees of protection provided by casings of electrical materials against external mechanical impacts, as specified in Table 1.

IP CODE

A coding system that defines the level of protection an enclosure offers against access to hazardous parts, solid foreign objects, and water ingress. The IP code includes **X & Y** following the letters "IP," with their meanings outlined in Table 2.

TABLE 1

IK Code	IK00	IK01	IK02	IK03	IK04	IK05	IK06	IK07	IK08	IK09	IK10
Impact Energy (kilogram/kg)	*	0.015	0.020	0.036	0.051	0.071	0.10	0.20	0.51	1.02	2.04

TABLE 2

	X	Y
IP	Protection against penetration of solid foreign objects	Protection against penetration of moisture
0	No protection	No protection
1	Objects of $\phi > 50\text{mm}$	Vertical dripping water
2	Objects of $\phi > 12.5\text{mm}$	Dripping water tilted up to 15°
3	Objects of $\phi > 2.5\text{mm}$	Dripping water tilted up to 60°
4	Objects of $\phi > 1\text{mm}$	Splashing water in all directions
5	Dust can enter in a harmless quantity	Waterjets in all directions
6	No entry of dust	Stronger waterjets in all directions
7	-	Temporary immersion
8	-	Constant immersion under manufacturer's conditions

A Quarter-Century of Brilliance

25th YEAR ANNIVERSARY EDITION






AURA

CH TL-2427-10W

The Aura's contemporary design features a transparent cylindrical acrylic frame, a subtle yet elegant base, with a flexible magnetic light that emits a soft, warm glow. This minimalist design merges seamlessly with modern aesthetics, making it an ideal statement piece for homes, offices, and creative spaces.

Engineered with cutting-edge LED technology, the Aura provides energy-efficient illumination with customizable brightness, ensuring versatility for every mood and moment. As a limited-edition 25th-anniversary product, the Aura symbolizes Changi Lighting's legacy of excellence and commitment to pushing boundaries in lighting design.

Experience the future of lighting with the **Aura**—crafted for those who appreciate the perfect blend of form and function.





01

RUDDLES

Wall | Ceiling | Hanging


The Ruddles Decorative Series is a stunning embodiment of artistry & meticulous craftsmanship. Inspired by the delicate form of a flower, each fixture features handmade glass petals sprinkled with fine glass particles, creating a mesmerizing shimmer. The intricate design incorporates a remarkable quantity of glass, including a glass base plate and glass-covered screws, ensuring every detail reflects precision and luxury.

REF. NO.	MATERIAL	CCT.	LED	SOURCE
CH 2546	Iron + Glass	3000K	Sanan	G9-Without Lamp (CH WL-2546-G9x2)



CH WL-2546-G9X2

Wall Light



Size 255x132x415mm


Source G9x2-Without Lamp

Finish
Sand White



CH CL-2546-930-5W+20W

Ceiling Light



Size φ930x170mm

Flux 1000 Lm


Finish
Sand White





CH HL-2546-910-5W+50W

Hanging Light



Size $\phi 910 \times 555 \times 1800 \text{mm}$

Flux 2500 Lm

Finish
Sand White



02

ARISTO

Wall | Hanging


Aristo exemplifies timeless elegance and masterful craftsmanship. Available in multiple sizes and mounting formats, each piece is crafted from premium stainless steel and features K9 crystal blocks of the highest purity and grade, with rough cuts on the exterior and intricately carved floral patterns on the interior. When illuminated, the floral carvings come alive, casting a warm, enchanting glow that enhances any space.

REF. NO.	MATERIAL	CCT.	LED
CH 2519	Stainless Steel + Crystal	3000K	Osram Led



CH WL-2519-2-8W

Wall Light




Size 420x180mm

Finish
Chrome



CH HL-2519-8+4-84W

Hanging Light




Size $\phi 800 \times 1500 \text{mm}$

Finish
Chrome




CH HL-2519-1200-39W

Hanging Light





Size 1200x1500mm

Finish
Chrome



CH HL-2519-8+6+4-126W

Hanging Light



Size $\phi 800 \times 1500 \text{mm}$

Finish
Chrome



03

LITHOS

Wall | Hanging

The Lithos Decorative Light Series is a celebration of artisanal craftsmanship and individuality. Comprising wall lamps and chandeliers, each piece features handmade glass, with subtle variations in color and pigment that make every fixture truly unique. This natural variation is the essence of Lithos, turning light into a personalized, radiant statement.

REF. NO.

CH 2525

MATERIAL

Iron + Glass


SOURCE

E14-Without Lamp



CH WL-2525-E14X2

Wall Light



Size $\phi 320 \times 245 \text{mm}$

Source E14x2-Without Lamp


Finish

Copper + Amber Glass + Clear Glass



CH HL-2525-800-E14X30

Hanging Light



Size $\phi 875 \times 800 \text{mm}$

Source E14x30-Without Lamp


Finish

Copper + Amber Glass + Clear Glass



CH HL-2525-1250-E14X18

Hanging Light



Size 1270x420x390mm

Source E14x18-Without Lamp

Finish

Copper + Amber Glass + Clear Glass



04




COSMOS

Cosmos Linear Pendant is a masterpiece of contemporary decorative lighting, combining elegance with meticulous craftsmanship. Its stainless steel body serves as a sleek foundation for K9 crystal elements shaped in a refined cup design, each piece arranged to create a harmonious and striking composition.

CH HL-2520-1200-16W

Hanging Light



REF. NO.

CH 2520

MATERIAL

Stainless Steel + Crystal

CCT.

3000K

LED

Osram Led

Size 1200x1500mm

Finish

Gold



05

CALLISTO

Hanging

The Callisto Decorative Light Series embodies futuristic elegance with its UFO-inspired modern design. Expertly crafted from premium materials and finished to perfection, each piece delivers a sleek, sophisticated aesthetic that complements contemporary architecture.

REF. NO.

CH 2526

MATERIAL

Metal + Glass

CCT.

3000K


LED

Epistar Led



CH HL-2526-100-1X7W

Hanging Light



Size $\phi 215 \times 1500 \text{mm}$

Flux 90 Lm


Finish

Gold + Gun Black



CH HL-2526-600-10X7W

Hanging Light



Size $\phi 600 \times 1800 \text{mm}$

Flux 900 Lm



Finish

Gold + Gun Black



CH HL-2526-1200-5X7W

Hanging Light



Size 1200x1500mm

Flux 450 Lm

Finish

Gold + Gun Black



06

VIVALDI

Wall | Hanging

The Vivaldi Decorative Light Series is a masterclass in artisanal design and flexible elegance. Featuring wall and pendant lights crafted from hexagonal handmade glass sprinkled with delicate glass particles, each piece exudes a subtle, radiant shimmer. The hexagonal design allows for customizable wall installations, giving users the freedom to create layouts that perfectly complement the space. The pendant versions offer similar flexibility, enabling tailored arrangements that transform interiors into captivating, luxurious environments.

REF. NO.

CH 2545

MATERIAL

Iron + Glass

CCT.

3000K


LED

Sanan



CH WL-2545-12W


Wall Light



Size 252x220mm


Flux 600 Lm

Finish
Sand White



CH HL-2545-1-12W

Hanging Light



Size 252x2000mm



Flux 600 Lm

Finish
Sand White



CH HL-2545-10-120W

Hanging Light




Size 1420x438x2000mm

Flux 6000 Lm


Finish
Sand White





CH HL-2545-19-200W

Hanging Light



Size φ980x3000mm

Flux 10000 Lm

Finish
Sand White



07

SILK

Wall | Hanging

Elegant and artistic, the Silk Decorative Light Series is available in multiple sizes and mounting formats to suit any interior. Its standout feature is the hand-printed glass, showcasing a striking combination of yellow and white on a black base, making Silk a perfect blend of craftsmanship and contemporary design.

REF. NO.

CH 2517

MATERIAL

Iron + Glass


SOURCE

G9-Without Lamp



CH WL-2517-G9X1

Wall Light



Size φ150x180mm


Source G9x1-Without Lamp

Finish
Black



CH HL-2517-G9X1

Hanging Light



Size φ150x1200mm


Source G9x1-Without Lamp

Finish
Black



CH HL-2517-600-G9X14

Hanging Light



Size φ600x320x1200mm


Source G9x14-Without Lamp

Finish
Black



CH HL-2517-660-G9X8

Hanging Light



Size $\phi 660 \times 220 \times 1200 \text{mm}$


Source G9x8-Without Lamp

Finish
Black



CH HL-2517-1200-G9X6

Hanging Light



Size 1200x1200mm

Source G9x6-Without Lamp

Finish
Black



08

IVORY

Wall | Ceiling | Hanging

The Ivory Decorative Light Series highlights geometrically cut K9 crystals, precisely faceted for a refined and modern aesthetic. Available in multiple sizes and mounting options, the high density of crystals and their fine cuts allows Ivory to glimmer beautifully even in darkness, serving as a centerpiece that brings elegance and brilliance to any interior setting

REF. NO.

CH 2534

MATERIAL

Stainless Steel +
Crystal


SOURCE

E14-Without Lamp



CH WL-2534-E14X3

Wall Light



Size 280x320mm


Source E14x3-Without Lamp

Finish
Gold



CH HL-2534-600-E14X15

Hanging Light



Size $\phi 600 \times 380 \text{mm}$


Source E14x15-Without Lamp

Finish
Gold



CH HL-2534-800-E14X23

Hanging Light



Size $\phi 800 \times 430 \text{mm}$

Source E14x23-Without Lamp

Finish
Gold




CH HL-2534-1200-E14X24

Hanging Light

Size 1200x450x330mm

Source E14x24-Without Lamp


Finish
Gold





CH CL-2534-600-E14X13

Ceiling Light



Size $\phi 600 \times 310 \text{mm}$

Source E14x13-Without Lamp

Finish
Gold



09

KERNEL

Hanging

The Kernal Decorative Light Series is a playful yet luxurious celebration of form and craftsmanship. Inspired by the natural shape of a popcorn kernel, each chandelier is carefully crafted in premium glass, capturing light in a warm and captivating manner. Available in multiple sizes, Kernal creates a striking visual statement while adding a touch of whimsy and sophistication to any interior.

REF. NO.

CH 2527

MATERIAL


Metal + Glass

CCT.

3000K


LED

G9 Led



CH HL-2527-100-1X5W


Hanging Light



Size $\phi 165 \times 1500 \text{mm}$


Finish

Sandy Silver + White



CH HL-2527-200-2X5W


Hanging Light



Size $\phi 200 \times 1500 \text{mm}$


Finish

Sandy Silver + White



CH HL-2527-600-12X5W

Hanging Light



Size $\phi 600 \times 2200 \text{mm}$


Finish

Sandy Silver + White



CH HL-2527-800-8X5W

Hanging Light



Size $\phi 930 \times 290 \text{mm}$


Finish

Gun Black + White



CH HL-2527-1100-6X5W

Hanging Light



Size 1100x1500mm

Finish

Sandy Silver + White



10

LINDOR

Wall | Table | Ceiling | Floor | Hanging


The Lindor Decorative Light Series blends modern elegance with versatile design. Featuring chandeliers and wall sconces crafted from milky glass and a dazzling golden body, each piece exudes sophistication and refinement. Available in multiple size options, Lindor adapts effortlessly to spaces ranging from cozy bedrooms to expansive informal banquet areas, maintaining design harmony and visual symmetry throughout.

REF. NO.	MATERIAL	CCT.	LED
CH 2530	Electroplated + Glass Aluminium + Glass (17W 35W)	3000K	BridgeLux Osram (floor lamp)



CH TL-2530-8W

Table Lamp



Size $\phi 180 \times 380\text{mm}$


Flux 453 Lm

Finish
Gold + Milky White Glass



CH WL-2530-7W

Wall Light



Size $\phi 110 \times 340 \times 405 \text{mm}$

Flux 349 Lm


Finish

Gold + Milky White Glass



CH CL-2530-10W

Ceiling Light



Size $\phi 180 \times 230 \text{mm}$

Flux 532 Lm


Finish

Gold + Milky White Glass



CH HL-2530-2-17W

Hanging Light



Size $\phi 180 \times 500 \times 1500 \text{mm}$

Flux 1085 Lm


Finish

Gold + Milky White Glass



CH FL-2530-18W

Floor Lamp



Size φ280x1350mm

Flux 453 Lm


Finish

Gold + Milky White Glass



CH HL-2530-A-2-16W

Hanging Light



Size 1550x2000mm


Flux 1085 Lm

Finish
Gold + Milky White Glass



CH HL-2530-4-35W

Hanging Light



Size 1000x1500mm

Flux 2047 Lm


Finish

Gold + Milky White Glass



CH HL-2530-6-38W

Hanging Light



Size $\phi 600 \times 1500 \text{ mm}$


Flux 596 Lm

Finish
Gold + Milky White Glass



CH HL-2530-8-50W

Hanging Light



Size 1150x1500mm

Flux 749 Lm

Finish
Gold + Milky White Glass



BULGARI

Wall | Hanging

The Bulgari Decorative Light Series is a celebration of natural beauty and refined craftsmanship. This exquisite collection of wall sconces and pendants showcases authentic marble sourced from the Fujian quarries, featuring striking purple veining set against pristine white stone. Each piece is carefully designed to highlight the marble's natural patterns, creating a luxurious and timeless statement in any interior.

REF. NO.

CH 2521

CH 2522

CH 2523


CH 2524

MATERIAL

Marble


SOURCE

G9-Without Lamp



CH WL-2521-G9X1

Wall Light



Size $\phi 250 \times 100 \text{mm}$

Source G9x1-Without Lamp


Finish

White + Purple



CH WL-2522-G9X1

Wall Light



Size $300 \times 200 \text{mm}$

Source G9x1-Without Lamp


Finish

White + Purple



CH WL-2523-G9X1

Wall Light



Size 350x140mm

Source G9x1-Without Lamp


Finish

White + Purple



CH HL-2524-G9X1

Hanging Light



Size $\phi 150 \times 2000$ mm

Source G9x1-Without Lamp

Finish

White + Purple



GLACIER

Wall | Table | Floor | Hanging


The Glacier Decorative Light Series captures the serene elegance of ice in a truly timeless form. Comprising chandeliers crafted entirely from glass, each piece reflects the clarity and texture of natural ice, creating a transparent, luminous centerpiece that complements any sophisticated interior.

REF. NO.	MATERIAL	SOURCE
CH 2547	Iron + Glass + Marble (Floor Lamp, Table Lamp)	E14-Without Lamp



CH WL-2547-E14X1

Wall Light



Size 280x165x300mm


Source E14x1-Without Lamp

Finish
Chrome



CH TL-2547-E14X3


Table Lamp



Size $\phi 350 \times 600 \text{mm}$


Source E14x3-Without Lamp

Finish
Chrome



CH FL-2547-E14X4

Floor Lamp



Size $\phi 420 \times 1600 \text{mm}$


Source E14x4-Without Lamp

Finish
Chrome



CH HL-2547-650-E14X9

Hanging Light



Size $\phi 650 \times 240 \times 1200 \text{mm}$


Source E14x9-Without Lamp

Finish
Chrome



CH HL-2547-800-E14X19

Hanging Light



Size $\phi 800 \times 480 \times 1380 \text{mm}$


Source E14x19-Without Lamp

Finish
Chrome



CH HL-2547-1100-E14X15

Hanging Light



Size 1100x320x320mm

Source E14x15-Without Lamp

Finish
Chrome



13

CORAL

Wall | Hanging


The Coral Decorative Light Series showcases a captivating combination of oval, round, and rectangular K9 crystals, meticulously arranged to create a rich and sparkling visual display. Available in multiple sizes and mounting options, the sheer number of crystals and their expertly cut facets allows Coral to shine brilliantly even when unlit, making it a statement piece that elevates any luxurious interior.

REF. NO.	MATERIAL	SOURCE
CH 2532	Iron + Crystal	E14-Without Lamp



CH WL-2532-E14X4

Wall Light



Size 260x480mm


Source E14x4-Without Lamp

Finish
Gold



CH HL-2532-600-E14X13

Hanging Light



Size $\phi 600 \times 260 \text{mm}$


Source E14x13-Without Lamp

Finish
Gold



CH HL-2532-800-E14X19

Hanging Light



Size $\phi 800 \times 320 \text{mm}$

Source E14x19-Without Lamp


Finish
Gold





CH HL-2532-1200-E14X24

Hanging Light



Size 1200x400x250mm

Source E14x24-Without Lamp

Finish
Gold



14

BRIO

Wall | Hanging

The Brio Chandelier Series is the epitome of luxury and refined craftsmanship, designed to transform any space into a statement of elegance. Each fixture is meticulously crafted with a robust stainless steel body, ensuring durability while exuding sophistication. What truly sets Brio apart is its exquisite assembly of individually cut K9 crystal pieces, each reflecting and refracting light to create a breathtaking display of brilliance.

REF. NO.

CH 2518

MATERIAL

Iron + Crystal


SOURCE

E14-Without Lamp



CH WL-2518-E14X1


Wall Light



Size 245x140x315mm


Source E14x1-Without Lamp

Finish
Gold



CH HL-2518-490-E14X10

Hanging Light



Size 490x400mm



Source E14x10-Without Lamp

Finish
Gold



CH HL-2518-1200-E14X20

Hanging Light



Size 1200x400x270mm

Source E14x20-Without Lamp

Finish
Gold



15

PLOMO

Wall | Ceiling | Hanging

The Plomo Decorative Light Series is a breathtaking celebration of craftsmanship and luxury. Comprising chandeliers and wall lamps, each piece features a top-to-bottom installation of lead crystals of the highest purity, with every transparent element meticulously crafted in varying shapes and sizes.

REF. NO.

CH 2544

MATERIAL

Iron + Crystal

SOURCE


G9-Without Lamp





CH CL-2544-400-G9X4

Ceiling Light



Size $\phi 400 \times 357 \text{mm}$

Source G9x4-Without Lamp


Finish
Chrome





CH WL-2544-840-G9X3

Wall Light



Size 840x640mm


Source G9x3-Without Lamp

Finish
Chrome



CH HL-2544-910-G9X12

Hanging Light



Size $\phi 910 \times 1120 \text{mm}$


Source G9x12-Without Lamp

Finish
Chrome



CH HL-2544-1260-G9X18

Hanging Light



Size $\phi 1260 \times 1240 \text{mm}$

Source G9x18-Without Lamp

Finish
Chrome



16


SKIA

The Skia Decorative Light is a celebration of artisanal craftsmanship and luminous elegance. Comprising hand-blown glass wall sconces, each piece is meticulously crafted to cast radiant rays across walls or ceilings when illuminated, creating a captivating interplay of light and shadow.



CH CL-2529-7W

Ceiling Light



REF. NO.

CH 2529

MATERIAL

Iron, Aluminium + Glass

CCT.

3000K

LED

BridgeLux Led

Size φ150x200mm

Flux 394 Lm

Finish

Gold + Amber Glass



17

RIGGO

Wall | Hanging

The Riggo Decorative Light Series is a striking example of modern design and refined craftsmanship. Comprising wall lights and chandeliers, each fixture features an illuminated glass tube encased within an outer glass layer, creating a seamless blend of functional light and elegant design detailing.

REF. NO.

CH 2528

MATERIAL

Aluminium + Glass

CCT.

3000K


LED

Sanan Led



CH WL-2528-12W

Wall Light




Size φ120x30x365mm

Flux 545 Lm


Finish

Black + Smokey Glass



CH HL-2528-1X12W

Hanging Light



Size $\phi 140 \times 238 \times 2300 \text{mm}$

Flux 560 Lm


Finish

Black + Smokey Glass



CH HL-2528-3X12W

Hanging Light




Size $\phi 350 \times 1500 \text{mm}$

Flux 980 Lm


Finish

Black + Smokey Glass



CH HL-2528-5X12W

Hanging Light



Size $\phi 450 \times 1500 \text{mm}$

Flux 1365 Lm


Finish

Black + Smokey Glass



CH HL-2528-4X12W

Hanging Light



Size 1000x1500mm

Flux 1330 Lm

Finish

Black + Smokey Glass



18

PEARL

Wall | Ceiling | Hanging

The Pearl Decorative Light Series features K9 crystals crafted in intricate floral shapes, combining artistry with opulent lighting. Offered in various sizes and mounting formats, the abundance of faceted crystals ensures Pearl radiates a dazzling sparkle even when not illuminated, transforming spaces into sophisticated and enchanting interiors.

REF. NO.


CH 2533

MATERIAL

Iron + Crystal


SOURCE

E14-Without Lamp



CH WL-2533-E14X5

Wall Light



Size 240x380mm


Source E14x5-Without Lamp

Finish
Gold



CH HL-2533-600-E14X12

Hanging Light



Size $\phi 600 \times 300 \text{mm}$


Source E14x12-Without Lamp

Finish
Gold



CH HL-2533-800-E14X19

Hanging Light



Size $\phi 800 \times 350 \text{mm}$


Source E14x19-Without Lamp

Finish
Gold



CH CL-2533-600-E14X12

Ceiling Light



Size φ610x260mm



Source E14x12-Without Lamp

Finish
Gold



CH HL-2533-1200-E14X24

Hanging Light



Size 1200x280mm

Source E14x24-Without Lamp

Finish
Gold



19

COGNAC

Wall | Hanging

The Cognac Decorative Light Series exudes artisanal luxury and contemporary elegance. Comprising wall lights and chandeliers, each fixture is crafted with handmade glass, featuring multiple glass elements in a single design to create depth, texture, and a stunning visual impact. When illuminated, Cognac delivers a warm, radiant glow, transforming interiors into sophisticated and captivating spaces.

REF. NO.

CH 2531

MATERIAL

Metal + Glass


SOURCE

E14-Without Lamp



CH WL-2531-E14X3

Wall Light



Size 180x270mm

Source E14x3-Without Lamp


Finish

Brass Gold + Cognac



CH HL-2531-800-E14X21

Hanging Light



Size ϕ 800x400mm

Source E14x21-Without Lamp


Finish

Brass Gold + Cognac



CH HL-2531-1200-E14X19

Hanging Light



Size 1200x400x350mm

Source E14x19-Without Lamp

Finish

Brass Gold + Cognac



20

VIEPO

Hanging

A sophisticated decorative lighting collection designed for contemporary and luxury interiors. Available in multiple sizes, it offers flexibility across residential and premium commercial spaces. Crafted from a refined combination of glass and steel, it reflects architectural precision and timeless elegance. Varied glass shades add depth and enhance the ambience with a design-led presence.

REF. NO.

CH 2305

MATERIAL


Steel & Glass

CCT.

3000K


LED

Cree Led



CH H-2305-4-25.2W

Hanging Light



Size 200x200x1200mm

Flux 2520Lm


Finish

Pearl Black - 1x Red, 2x Black, 1x Yellow



CH H-2305-5-28.8W

Hanging Light



Size 980x200x1500mm

Flux 2880Lm

Finish

Pearl Black - 1x Red, 3x Black, 1x Yellow




21

INNERBLOOM




CH W-2324-1X6W | 1X10W | 1X24W

Wall Light




6W

φ220x76mm



10W

φ300x90mm



24W

φ420x106mm

Flux

1x6W: 480 Lm
1x10W: 800 Lm
1x24W: 1920 Lm

CCT.

3000K

LED

Lextar Led

MATERIAL

Aluminium + Glass

Finish

Pink (10W, 24W) |
Turquoise (6W, 10W, 24W) |
Amber (24W)



22

ADA

Wall | Hanging

A contemporary collection of pendant and wall lights crafted for modern interiors. Made from high-quality aluminium and glass, its sand black finish complements minimalist spaces. The precision lens offers focused illumination, while the glass softly diffuses light for ambient comfort. Ada balances task-focused performance with understated luxury, enhancing both function and design.

REF. NO.

CH 2328

MATERIAL

Aluminium + Glass

CCT.

3000K


LED

Bridgelux Led



CH W-2328-9W

Wall Light



Size $\phi 180 \times 374 \times 1260 \text{ mm}$

Flux 618 Lm


Finish
Sand Black

Beam Angle 35°



CH H-2328-1-9W

Hanging Light



Size $\phi 180 \times 1500 \text{mm}$

Flux 618 Lm


Finish
Sand Black

Beam Angle 35°



CH H-2328-3X9W

Hanging Light



Size 1079x1500mm


Flux 1854 Lm

Finish
Sand Black



CH H-2328-5X9W

Hanging Light



Size 1979x182x1500mm

Flux 3090 Lm

Finish
Sand Black



23

FOVERO

Wall | Hanging | Floor

Fovero is a techno-decorative lighting series defined by its hand-blown glass dome and a delicate inner column with a crinkled, paper-like texture—housing a warm, diffused glow within.

REF. NO.

CH 2308

MATERIAL


Steel & Glass

CCT.

3000K


LED

Cree Led



CH W-2308-4.6W

Wall Light



Size $\phi 210 \times 165 \text{mm}$

Flux 460 Lm


Finish

Brushed Gun Black



CH H-2308-3-23.85W

Hanging Light



Size $\phi 600 \times 1000 \text{mm}$

Flux 2385 Lm


Finish

Brushed Gun Black



CH H-2308-1B-7.71W

Hanging Light



Size 221x210x1752mm

Flux 771 Lm


Finish

Brushed Gun Black



CH FL-2308-4.6W

Floor Lamp



Size 233x210x1700mm


Flux 460 Lm

Finish
Brushed Gun Black



CH H-2308-4-30.6W

Hanging Light



Size 210x1026x1200mm

Flux 3060 Lm


Finish
Brushed Gun Black





CH H-2308-6-47.7W

Hanging Light



Size φ850x1200mm

Flux 4770 Lm

Finish
Brushed Gun Black



24

INFINI

Hanging

An expansive collection of pendant lights designed to bring refined luxury to contemporary interiors. Crafted from high-grade aluminium with handblown glass, each piece reflects artisanal quality and elegance. Available in soft pastel shades, it adds subtle color and warmth. Ideal for living areas, dining spaces, and feature installations, Infini enhances interiors with graceful, contemporary illumination.

REF. NO.

CH 2323

MATERIAL

Aluminium + Glass

CCT.

3000K


LED

Lextar Led



CH H-2323-1A-1X8W

Hanging Light



Size $\phi 140 \times 1200 \text{mm}$

Flux 640 Lm


Finish

Brushed Chrome + Cognec,
Smokey & Red Glass



CH H-2323-1B-1X8W

Hanging Light



Size $\phi 110 \times 1200 \text{mm}$

Flux 640 Lm


Finish

Brushed Chrome + Green & Amber
Glass



CH H-2323-1C-1X8W

Hanging Light



Size $\phi 135 \times 1200 \text{mm}$

Flux 640 Lm

Finish


Brushed Chrome + Pink, Green,
Blue & Cognec Glass





CH H-2323-1A-3X8W

Hanging Light



Size $\phi 350 \times 50 \times 1200 \text{mm}$

Flux 1920 Lm


Finish

Brushed Chrome + Cognec,
Smokey & Red Glass



CH H-2323-1B-3X8W

Hanging Light



Size $\phi 350 \times 50 \times 1200 \text{mm}$

Flux 1920 Lm


Finish

Brushed Chrome + Green & Amber
Glass



CH H-2323-1C-3X8W

Hanging Light



Size $\phi 350 \times 50 \times 1200 \text{mm}$

Flux 1920 Lm


Finish

Brushed Chrome + Pink, Green,
Blue & Cognec Glass



CH H-2323-M-3X8W

Hanging Light



Size $\phi 350 \times 50 \times 1200 \text{mm}$

Flux 1920 Lm


Finish

Brushed Chrome + Mix Glass



CH H-2323-1A-4X8W

Hanging Light



Size 950x1200mm

Flux 2560 Lm



Finish

Brushed Chrome + Cognec, Smokey
& Red Glass



CH H-2323-1B-4X8W

Hanging Light



Size 950x1200mm

Flux 2560 Lm



Finish

Brushed Chrome + Green & Amber Glass



CH H-2323-1C-4X8W

Hanging Light



Size 950x1200mm

Flux 2560 Lm


Finish

Brushed Chrome + Pink, Green, Blue
& Cognec Glass



CH H-2323-M-4X8W

Hanging Light



Size 950x1200mm


Flux 2560 Lm

Finish
Brushed Chrome + Mix Glass



CH H-2323-1A-6X8W

Hanging Light



Size $\phi 400 \times 1200 \text{mm}$

Flux 3840 Lm


Finish

Brushed Chrome + Cognec,
Smokey & Red Glass



CH H-2323-1B-6X8W

Hanging Light




Size $\phi 400 \times 1200 \text{mm}$

Flux 3840 Lm


Finish

Brushed Chrome + Green & Amber
Glass



CH H-2323-1C-6X8W

Hanging Light



Size $\phi 400 \times 1200 \text{ mm}$

Flux 3840 Lm

Finish

Brushed Chrome + Pink, Green,
Blue & Cognec Glass








CH H-2323-M-6X8W

Hanging Light



Size $\phi 400 \times 1200 \text{mm}$

Flux 3840 Lm


Finish

Brushed Chrome + Mix Glass



CH H-2323-1A-9X8W

Hanging Light



Size 950x1200mm

Flux 5760 Lm


Finish

Brushed Chrome + Cognec, Smokey
& Red Glass



CH H-2323-1B-9X8W

Hanging Light



Size 950x1200mm

Flux 5760 Lm


Finish

Brushed Chrome + Green & Amber
Glass



CH H-2323-1C-9X8W

Hanging Light



Size 950x1200mm

Flux 5760 Lm


Finish

Brushed Chrome + Pink, Green, Blue
& Cognec Glass



CH H-2323-M-9X8W

Hanging Light



Size 950x1200mm

Flux 5760 Lm

Finish

Brushed Chrome + Mix Glass



25

POTIRI

Wall | Hanging | Table

A perfect balance of steel, Italian marble, and premium glass, Potiri is designed to turn any space into a statement of luxury. Finished in matte gold with rich amber and clear glass tones, it brings warmth and sophistication to bedrooms, dining areas, and lounges.

REF. NO.

CH 2312

MATERIAL

Steel + Glass + Marble
(Table Lamp)

CCT.

3000K


LED

Cree



CH W-2312-1A-1.35W

Wall Light



Size $\phi 250\text{mm}$

Flux 135 Lm


Finish

Matte Copper + Clear Glass



CH W-2312-1B-1.35W

Wall Light



Size $\phi 200\text{mm}$

Flux 135 Lm


Finish

Matte Copper + Clear Glass



CH W-2312-2-3.14W

Wall Light



Size $\phi 200 \times 450 \text{mm}$

Flux 314 Lm


Finish

Matte Copper + Clear Glass | Amber Glass



CH TL-2312-2-2.5W

Table Lamp




Size $\phi 250 \times 355 \text{mm}$

Flux 250 Lm


Finish

Matte Copper + Clear Glass | Amber Glass



CH H-2312-1A-1.35W

Hanging Light




Size $\phi 250 \times 1500 \text{mm}$

Flux 135 Lm


Finish

Matte Copper + Amber Glass



CH H-2312-1B-1.35W

Hanging Light



Size $\phi 200 \times 1500 \text{mm}$

Flux 135 Lm


Finish

Matte Copper + Clear Glass



CH H-2312-4-10.8W

Hanging Light



Size 1450x220x2000mm

Flux 1080 Lm


Finish

Matte Copper + Clear Glass & Amber Glass



CH H-2312-3-6.3W

Hanging Light



Size 1200x220x2000mm

Flux 630 Lm


Finish

Matte Copper + Clear Glass & Amber Glass



CH H-2312-5-9.45W

Hanging Light



Size 1150x2000mm

Flux 945 Lm

Finish

Matte Copper + Clear Glass & Amber Glass



26

ENTOLI

Hanging

A family of decorative fixtures available in multiple sizes, defined by its alternate clear and frosted glass elements. This combination creates a balanced play of sparkle and soft diffusion, adding visual depth while delivering comfortable ambient light—ideal for refined residential interiors.

REF. NO.

CH 2311

MATERIAL

Steel & Glass

CCT.

3000K


LED

Cree



CH H-2311-12-72W

Hanging Light



Size $\phi 600 \times 1200 \text{ mm}$

Flux 7200 Lm


Finish

Nickel & Brushed Light Gold Copper



CH H-2311-18-100.8W

Hanging Light



Size $\phi 800 \times 1200 \text{ mm}$

Flux 10080 Lm


Finish

Nickel & Brushed Light Gold Copper



CH H-2311-36-201.6W

Hanging Light



Size $\phi 1000 \times 1200 \text{mm}$

Flux 20160 Lm

Finish

Nickel & Brushed Light Gold Copper



27

ZIMA

Wall | Hanging

A refined family of decorative fixtures available in multiple sizes, offering design flexibility with a cohesive aesthetic. Its defining ripple glass softly diffuses light to create a textured, ambient glow that adds depth and visual interest. Supported by a robust steel body with a premium finish, ZIMA balances elegance and durability, making it suitable for both residential and commercial interiors.

REF. NO.

CH 2310

MATERIAL

Steel & Glass

CCT.

3000K


LED

Cree



CH W-2310-1A-4.56W

Wall Light



Size $\phi 180 \times 100 \text{mm}$


Flux 456 Lm

Finish
Brushed Gun Black



CH W-2310-2-8.4W

Wall Light



Size 180x95x450mm


Flux 840 Lm

Finish
Brushed Gun Black



CH W-2310-3-14.4W

Wall Light



Size 180x95x730mm


Flux 1440 Lm

Finish
Brushed Gun Black



CH H-2310-1-4.56W

Hanging Light



Size $\phi 180 \times 1680 \text{mm}$

Flux 456 Lm


Finish

Brushed Gun Black



CH H-2310-8A-48.6W

Hanging Light




Size 1500x168x1200mm

Flux 4860 Lm


Finish
Brushed Gun Black





CH H-2310-6-25.2W


Hanging Light



Size φ500x1500mm


Flux 2520 Lm

Finish
Brushed Gun Black



CH H-2310-8B-36W

Hanging Light



Size φ650x1500mm


Flux 3600 Lm

Finish
Brushed Gun Black



CH H-2310-12-50.4W

Hanging Light



Size $\phi 800 \times 2800\text{mm}$

Flux 5040 Lm

Finish

Brushed Gun Black





28

MALAKI

Wall | Hanging

An elegant decorative lighting collection with a sculptural steel form and refined architectural character. Thick handblown glass softly diffuses light, creating a smooth, warm glow while subtly revealing the source. Finished in an elegant champagne tone, it adds depth and luxury. Ideal for enhancing refined residential interiors.

REF. NO.

CH 2309

MATERIAL

Steel & Glass


CCT.

3000K

LAMP


G9 Led





CH H-2309-G9-5WX15

Hanging Light



Size φ600x1500mm


Flux 7500 Lm

Finish
Champagne



CH H-2309-G9-5WX40

Hanging Light



Size φ1000x1500mm

Flux 20000 Lm

Finish
Champagne



29

SKOTA


Ceiling

A refined decorative lighting series available as a ceiling fixture and floor lamp for premium interiors. Crafted in glass and precision-finished steel, it balances form and light. A matte copper finish adds warmth, delivering soft ambient illumination.



CH C-2307-7.2W

Ceiling Light



REF. NO.

CH 2307

MATERIAL

Steel & Glass

CCT.

3000K

LED

Cree

Size $\phi 334 \times 210 \text{mm}$

Flux 771 Lm

Finish

Matte Copper



30

LACTEA

Wall | Hanging

An expansive decorative lighting collection designed to enrich luxury interiors with elegance and versatility. Available in pendant and wall configurations, it suits residential and premium hospitality spaces. Crafted in steel with thick glass, it reflects refined craftsmanship and timeless appeal. The glass softly diffuses light to create a calm, warm ambience with subtle visual depth.

REF. NO.

CH 2306

MATERIAL

Steel & Glass

CCT.

3000K


LAMP

G9 Led



CH W-2306-1A-G9-1X7W

Wall Light



Size $\phi 130 \times 200 \text{mm}$


Flux 700 Lm

Finish
Chrome + White



CH W-2306-1B-G9-1X7W

Wall Light



Size $\phi 180 \times 300 \text{mm}$


Flux 700 Lm

Finish
Chrome + White



CH H-2306-1A-G9-1X7W

Hanging Light



Size φ200x250x1500mm

Flux 700 Lm


Finish

Chrome + White



CH H-2306-1B-G9-1X7W

Hanging Light



Size φ160x225x1500mm

Flux 700 Lm


Finish

Chrome + White



CH H-2306-72W+G9-4X7W

Hanging Light




Size 1000x2500mm

Flux 10000 Lm

Finish

Matte Copper





31

KLOSI

A refined pendant light crafted in high-quality aluminum, available in two elegant finishes for contemporary interiors. Its wide, balanced light distribution makes it ideal for bedside lighting as well as café tables and intimate dining spaces.

REF. NO.

CH 2315

MATERIAL

Aluminium, Acrylic & Iron

CCT.

3000K


LED

Sanan Led



CH H-2315-10W

Hanging Light



Size $\phi 135 \times 2500 \text{mm}$

Flux 500 Lm

Finish

Gold | Black



32

MAKRY5

A statement floor-to-ceiling lamp crafted in high-grade metal and acrylic with a rich gold finish, defining luxury interiors with architectural elegance. Its linear form and 360° illumination enhance spatial depth, creating a warm, immersive ambience while serving as a luminous design feature.

REF. NO.

CH 2322

MATERIAL

Metal & Acrylic

CCT.

3000K


LED

Sanan Led

IP
20

CH FL-2322-15W

Floor Lamp



Size $\phi 100 \times 2600-3500 \text{mm}$

Flux 750 Lm

Finish

Gold





33

ORB

A luxurious pendant light collection crafted in handblown glass and aluminum, combining artisanal craftsmanship with modern design. Its balloon-shaped shades in coffee and clear tones create a soft, inviting glow for dining, living, and intimate spaces.

REF. NO.

CH 2325

MATERIAL

Aluminium & Glass

CCT.

3000K


LED

Lextar Led



CH H-2325-18X1.35

Hanging Light



Size $\phi 480 \times 1500 \text{mm}$

Flux 1940 Lm

Finish

Coffee & Clear Glass



34


TOMASSO

A distinctive wall light in an elegant coffee finish, adding warmth and character to modern interiors. Its adjustable design offers precise, flexible illumination for bedrooms, reading corners, corridors, and study areas.



CH W-2321-12W

Wall Light



REF. NO.

CH 2321

MATERIAL

Aluminium & Acrylic

CCT.

3000K

LED

Sanan Led

Size 68x480mm

Flux 600 Lm

Finish

Coffee



35

PLEKO

Wall | Floor | Hanging | Ceiling


A decorative lighting collection of pendant, wall, ceiling and floor lamps, designed to add sophistication to luxury interiors. Its versatile formats suit living areas, bedrooms, corridors, and lounges, creating a harmonious design flow. Crafted from high-grade silicone and aluminum with nylon braiding, it provides soft, uniform illumination. Available in black and gold finishes, Pleko enhances both warm and contemporary interiors with refined elegance.

REF. NO.	MATERIAL	CCT.	LED
CH 2318	Aluminium & Silicone	3000K	Sanan Led
CH 2319			
CH 2320			



CH W-2318-BK-12W

Wall Light



Size 750x167mm


Flux 600 Lm

Finish
Black



CH W-2318-GD-12W

Wall Light



Size 750x167mm


Flux 600 Lm

Finish
Gold



CH FL-2320-15W

Floor Lamp



Size $\phi 220 \times 1500 \text{mm}$

Flux 750 Lm


Finish
Gold | Black





CH C-2319-30W

Ceiling Light




CH C-2319-30W-S



CH C-2319-30W-T



CH C-2319-30W-R



Size 100x3000mm

Flux 1500 Lm

Finish
Gold



36

ZAROMA

Wall | Hanging

A refined collection of pendant and wall lights in metal and handcrafted glass, offering timeless elegance and meticulous craftsmanship. Its specialized glass softly diffuses light, creating a warm, sophisticated ambience for luxury interiors.

REF. NO.

CH 2333

MATERIAL

Metal & Glass

CCT.

3000K


LED

Sanan Led



CH W-2333-3X5W

Wall Light



Size 340x260mm


Finish

Chrome



CH H-2333-6+3X5W

Hanging Light



Size φ600x1500mm

Finish

Chrome



37

PLAKA

Wall | Hanging

An elegant collection of wall and pendant lights designed for refined residential interiors. Crafted from high-grade metal and thick clear glass, it reflects premium craftsmanship and timeless design. The champagne gold finish adds warmth and sophistication to living, dining, and bedroom spaces. Its solid glass softly diffuses light, creating a calm, welcoming ambience that elevates any interior.

REF. NO.

CH 2336

MATERIAL

Metal + Glass

CCT.

3000K


LED

Sanan Led



CH W-2336-18W

Wall Light




Size 300x180x190mm

Finish
Champagne Gold



CH H-2336-90W

Hanging Light



Size 930x190x1500mm

Finish

Champagne Gold



38

LUCID

Wall | Hanging

An elegant collection of wall and pendant lights designed to enrich luxury interiors with refined brilliance. Crafted from high-grade metal and premium K9 crystal, it delivers exceptional sparkle and light refraction. The champagne finish adds warmth and sophistication to living, dining, and bedroom spaces. Each hand-placed crystal reflects meticulous craftsmanship, creating a luminous, graceful ambience.

REF. NO.

CH 2332

MATERIAL

Metal + K9 Crystal

CCT.

3000K

LED

Sanan Led



CH W-2332-25W

Wall Light



Size 150x320mm


Finish

Champagne



CH H-2332-50W

Hanging Light



Size $\phi 480 \times 1500 \text{mm}$

Finish
Champagne



39

MATTONE

Hanging

A sophisticated pendant light collection designed to enhance luxury interiors with architectural elegance. Crafted from high-grade metal with K9 crystal and glass, it reflects premium craftsmanship. The combination of glass and crystal creates radiant yet softly diffused illumination. Ideal for dining, living, and feature spaces, it adds refined brilliance and ambience.

REF. NO.

CH 2334

MATERIAL

Metal, Glass & K9
Crystal

CCT.

3000K


LED

Sanan Led



CH H-2334-70W

Hanging Light




Size $\phi 630 \times 103 \times 1500 \text{mm}$

Finish
Champagne



CH H-2334-100W

Hanging Light



Size 1190x103x1500mm

Finish
Champagne



40

PAUL

Wall | Table | Hanging

A sophisticated collection of pendant and wall lights designed for modern living spaces. Crafted from premium aluminium and glass, its sand black finish complements contemporary interiors. The opal-style glass distributes light evenly, creating a calm, inviting ambience. Ideal for lounges, bedrooms, and passageways, Paul combines minimal design with refined illumination.

REF. NO.

CH 2337

MATERIAL

Aluminium & Glass

CCT.

3000K


LED

Bridgelux Led



CH W-2337-7W

Wall Light



Size $\phi 100 \times 159 \times 250 \text{ mm}$


Flux 420 Lm

Finish
Sand Black



CH TL-2337-5W


Table Lamp



Size $\phi 100 \times 234 \text{mm}$


Flux 300 Lm

Finish
Sand Black



CH H-2337-1-6W


Hanging Light



Size $\phi 100 \times 1500 \text{mm}$


Flux 360 Lm

Finish
Sand Black



CH H-2337-3X6W

Hanging Light



Size 560x30x1500mm


Flux 1080 Lm

Finish
Sand Black



CH H-2337-5X6W

Hanging Light



Size 1010x130x1500mm

Flux 1800 Lm

Finish
Sand Black



41

BLUME

Hanging

A refined series of pendant lights that combines artistic expression with luxury design. Available in multiple sizes, it suits dining areas, living spaces, bedrooms, and feature zones. Crafted from carbon steel with elegantly glazed glass, it delivers a soft, inviting glow. The floral-inspired glass forms a sculptural focal point, adding sophistication to any interior.

REF. NO.

CH 2331

MATERIAL

Carbon Steel &
Glazed Glass

CCT.

3000K


LED

Sanan Led



CH H-2331-231W

Hanging Light



Size $\phi 800 \times 800 \text{mm}$

Flux 11550 Lm


Finish

Champagne Gold



CH H-2331-500-84W

Hanging Light



Size $\phi 500 \times 500 \text{mm}$

Flux 4200 Lm


Finish

Champagne Gold



CH H-2331-1180-84W

Hanging Light



Size 1180x210x700mm

Flux 4200 Lm


Finish
Champagne Gold



42


TULIO

An elegant pendant lighting collection crafted from carbon steel and platinum resin for durability and smooth, even illumination. Accented in champagne gold, it adds warmth, depth, and a sophisticated glow to modern interiors.



CH H-2330-150W

Hanging Light



REF. NO.

CH 2330

MATERIAL

Carbon Steel & Platinum Resin

CCT.

3000K

LED

Sanan Led

Size 980x350x1500mm

Flux 7500 Lm

Finish

Champagne Gold



43

STIKLO

A distinguished pendant light designed to elevate interiors with contemporary luxury. Crafted from carbon steel and platinum resin, it combines strength with elegant light dispersion. The resin ensures smooth, even illumination, enhancing visual comfort. Finished in champagne gold, Stiklo adds warmth and a refined architectural presence to any space.

REF. NO.

CH 2329

MATERIAL

Carbon Steel & Platinum Resin

CCT.

3000K


LED

Sanan Led



CH H-2329-198W

Hanging Light



Size $\phi 800 \times 700 \text{mm}$

Flux 6600 Lm

Finish

Champagne Gold



44

DIPLO

A sophisticated collection of pendant lights and floor lamps designed for modern interiors. Crafted from iron and premium acrylic, it blends durability with refined aesthetics. Its bold architectural form complements contemporary spaces, while volumetric light distribution ensures even illumination. Ideal for living areas, lounges, and reading zones, Diplo enhances ambience with balanced, visually comfortable lighting.

REF. NO.

CH 2328

MATERIAL

Iron + Acrylic

CCT.


3000K

LED

Sanan Led

CH H-2328-22.4W

Hanging Light



Size $\phi 120 \times 1200 \text{mm}$

Flux 2352 Lm

Finish

Black



45

LUSO

Hanging

A premium collection of pendant lights designed to elevate modern interiors with refined luxury. Crafted from high-grade aluminum and K9 crystal, it delivers exceptional brilliance and light dispersion. The crystal elements refract light beautifully, creating a luminous presence. Available in multiple formats, Lusso suits living areas, dining spaces, and feature installations with tailored elegance.

REF. NO.

CH 2327

MATERIAL

Iron, Aluminium &
Crystal

CCT.

3000K


LED

Sanan Led



CH H-2327-1X5W

Hanging Light



Size $\phi 130 \times 1200 \text{mm}$


Flux 525 Lm

Finish
Black



CH H-2327-2X5W

Hanging Light



Size $\phi 130 \times 1450 \text{mm}$


Flux 1050 Lm

Finish
Black



CH H-2327-3X5W

Hanging Light



Size $\phi 130 \times 1700 \text{mm}$

Flux 1575 Lm


Finish
Black



IP

CH H-2327-5X5W

Hanging Light



Size 860x1500mm


Flux 2625 Lm

Finish
Black



CH H-2327-10X5W


Hanging Light



Size 860x1750mm


Flux 5250 Lm

Finish
Black



CH H-2327-15X5W

Hanging Light



Size 860x2000mm

Flux 7875 Lm

Finish

Black





46

HELIX

Hanging

A striking collection of pendant lights designed to elevate interiors with modern luxury. Crafted from premium aluminium in gold and bronze finishes, it combines sophistication with durability. The spiral form creates dynamic visual interest and layered, even illumination. Ideal for residential and commercial spaces, Helix adds depth and architectural elegance with balanced ambient and decorative lighting.

REF. NO.

CH 2326

MATERIAL

Aluminium

CCT.

3000K

LED


Lextar Led





CH H-2326-75W

Hanging Light



Size $\phi 584 \times 1500 \text{mm}$

Flux 6000 Lm


Finish

Gold | Brown



CH H-2326-100W

Hanging Light



Size $\phi 760 \times 1500 \text{mm}$

Flux 8000 Lm

Finish

Gold | Brown



47

ICICLE

Wall | Hanging

A refined collection of pendant and wall lights designed for sophisticated interiors. Crafted from high-grade metal and premium K9 crystal, it delivers brilliance, clarity, and visual elegance. Inspired by natural icicles, the distinctive crystal forms define each fixture's character. Ideal for living, dining, and bedroom spaces, Icicle adds depth and a timeless luxurious ambience.

REF. NO.

CH 2335

MATERIAL

Metal + K9 Crystal

CCT.

3000K


LED

Sanan Led



CH H-2335-50W

Hanging Light




Size $\phi 480 \times 250 \times 1500 \text{mm}$

Finish
Chrome



CH H-2335-70W

Hanging Light




Size $\phi 620 \times 250 \times 1500 \text{mm}$

Finish
Chrome



CH W-2335-20W

Wall Light



Size $480 \times 300 \text{mm}$

Finish
Chrome





CH H-2335-80W

Hanging Light



Size 1000x250x1500mm

Finish
Chrome



48

LIRA

Wall Light

A refined collection of wall lights crafted from aluminium and premium acrylic, combining durability with contemporary elegance. Finished in sleek chrome, it delivers bright, uniform illumination ideal for grooming areas and spaces needing balanced lighting.

REF. NO.

CH 2380

MATERIAL

Aluminium + Iron + PC

CCT.

3000K


LED

Osram Led



CH W-2380 V-14W

Wall Light



Size 600x63x95mm

Flux 1587 Lm


Finish
Chrome

Beam Angle 120°



CH W-2380 H-14W

Wall Light



Size 600x63x95mm

Flux 1587 Lm

Finish
Chrome

Beam Angle 120°



49

OPA

A refined wall light crafted from high-grade aluminium, featuring seamless, infinite-inspired design. It provides subtle, impactful illumination, enhancing feature walls, corridors, and living spaces with modern sophistication.

REF. NO.

CH 2382

MATERIAL

Aluminium + Iron + PC

CCT.

3000K


LED

Edison Led



CH W-2382-24W

Wall Light



Size 300x300x130mm

Flux 1161 Lm


Finish

Silver Leaf

CHANGI[®]

Decorative lights transcend mere illumination; they are jewels adorning our spaces, transforming them into evocative experiences. From the crystalline dance of a chandelier to the gentle glow of handcrafted sconces, they whisper tales of elegance and artistry. These are not simply Lamps and wires, but meticulously designed works of art, employing time-honored techniques like hand-blown glass and crystals. They sculpt the mood of a space, transforming interiors into tranquil havens, accentuating architectural details, and serving as focal points. A carefully chosen light is an investment in atmosphere, style, and the soul of your home – a reflection of your taste and the transformative power of light.

CHANGI[®]



www.changilighting.com



outdoor

Outdoor lighting is a versatile and essential element of any outdoor space, enhancing both it's beauty and functionality.

CHANGI[®]

2026

Light has no boundaries



OUTDOOR CATALOGUE

index_ outdoor

12

Bollard Light

Tron	Ava
Zeta	Tower
Tone	Leios
ALCM	Camp
Plura	Fanos
Chrono	Hallow-P
Camp-2	Curve-P
Archaïos	Mystic-P
Babka	Sitra
Comp	Solar
Perch	Scandia
Tromso	Castor
Gru	Alpa
Forma	

66

Wall Light

Tron	Gru	Bella
Zeta	Mega	Marcel
Tone	Osac	Ball
ALCM	Bric	Dawn
Amos	Helen	Marmo
Vega	Jess	Tion
Kova	Periko	Moba
Ferro	Petri	Ciara
Plura	Tower	Cap
Camp-2	Fanos	Arte
Archaïos	Scandia	Zono
Leo-2	Mystic	Sandy
Leo	Camp	Rock
Babka	Sitra	Solar
Makellos	Keros	Alpa
Comp	Gimbo	Cube
Pano	Arch	Quad
Ted	Eclipse	Glitter

170

Gate Light

Archaïos
Comp
Scandia
Quad-2

182

Pole
Light

Camp-2
Archaïos
Camp
Scandia
Tower-P

198

Pendant
Light

Petri-H
Mystic-H
Tower-H

206

Ceiling
Light

Skyro
Lenn
Micro

Safe
Case
Steam

218

Foot
Light

Miko
Fuli
Bali
Buzo

Tim
Tom
Dot

228

Spike
Light

Oslo
Copa
Garo
Zone

Rhino
Gatsby
Dag

246

Spot
Light

Oslo
Copa
Garo
Birdy
Kyro
Phiz

Sputnik
Apos
Rhino
Zone
Gatsby

274

Inground
Light

Vostro
Tema
Stenos
Pulse
Aza
Raffle

Bert
Tios
Troy
Para
Terra

298

Wall
Washer

Dynamo V.2
Torso
Dam
Slopia
Line
Oglo

312

Underwater
Light

Ellipsis
Braille
Uriel
Bombi

Deluge
Uno
Trigo
Waterproof Jointer

27 YEARS
OF LIGHT

Founded in 1999, Changi Lighting has spent over two and a half decades shaping the language of light. What began as a vision to redefine illumination has evolved into a legacy of design innovation, technical mastery, and timeless elegance.

For 27 years, Changi has stood at the intersection of art and engineering — where every luminaire is more than a fixture; it's a statement of purpose, precision, and poise. Our collections span indoor, outdoor, and decorative lighting, each crafted to embody the brand's enduring philosophy: luxury in simplicity, sophistication in detail.


With a deep focus on architectural lighting, we collaborate with leading architects, interior designers, and visionaries across India to transform structures into stories — where light defines mood, accentuates form, and inspires emotion. Our e-gen range further extends this promise, offering intelligent, energy-efficient solutions that balance performance with affordability.

As we celebrate 27 years of excellence, we look not just to the milestones behind us, but to the brilliance ahead. Guided by our founding principles of innovation, quality, and integrity, Changi Lighting continues to illuminate the future — one space, one vision, one spark at a time.

COLOUR CHARACTERISATION


CCT. - CORRELATED COLOUR TEMPERATURE

Correlated Colour Temperature (CCT), measured in Kelvin (K), quantifies the chromaticity of a light source, ranging from warm hues (below 3300K) to cool bluish tones (above 5000K). Warm lighting enhances relaxation, neutral tones balance perception, and cooler lighting optimizes visual acuity and alertness.




CHROMATIC STABILITY (MacAdam)

Chromatic Stability, often evaluated using MacAdam ellipses, quantifies the perceptual uniformity of color produced by a light source under varying conditions. It measures the tolerance for color shift within the CIE chromaticity diagram, with smaller ellipses indicating higher color consistency. This metric is critical in applications requiring precise color rendering, such as display technologies, lighting design, and imaging systems, where deviations can impact performance and visual accuracy.





CRI (Ra)

The Color Rendering Index (CRI) quantitatively evaluates a light source's ability to reproduce colors accurately compared to their appearance under ideal or natural light. This is determined by comparing the light source to a reference source with the same CCT, using up to 15 standardized color samples. The Ra index, calculated as the average of the first 8 samples, ranges up to 100, with 100 representing near-perfect color rendering. Changli Light offers LEDs in three chromaticity ranges—90, 95, and 97—along with specialized options for specific applications.



TM-30

A method for assessing the color rendering of a light source, developed by the Illuminating Engineering Society (IES), incorporates three key concepts: the Fidelity Index (Rf), which offers an accurate evaluation of color rendering using 99 color samples, similar to CRI; the Gamut Index (Rg), which measures the average saturation of the light source; and the Colour Vector, a graphical representation that illustrates saturation deviations of various colors relative to a reference light source. Colors appear more or less saturated depending on their position relative to the reference circle's interior or exterior.



SOURCES WITH CHROMATIC ADJUSTMENT

LIFE TIME

This method evaluates the retention of luminous flux over time, defined by two parameters: L, representing the percentage of luminous flux maintained by the luminaire compared to its initial output after a specified duration, and B, indicating the percentage of luminaires with flux below the L value. For instance, a lifetime rating of 50,000 hours L80B10 signifies that, after 50,000 hours of operation, 90% of the luminaires retain at least 80% of their original luminous flux.

TUNABLE WHITE

The independent control of color temperature and luminous intensity allows for light optimization based on the environment or time of day. This adjustment mimics natural daylight, enhancing quality of life and promoting well-being.

LIGHTING TERMS & CONCEPTS

Quality Criteria for LED Selection

Changi Light meticulously selects its LED lighting sources using the “binning” classification method. Due to manufacturing tolerances, variations in luminous flux, color temperature, and voltage can occur during LED production. To address this, LEDs are categorized into specific “BINs” based on predefined criteria. Changi Light ensures that the selected LEDs for its luminaires belong to matching “BINs,” significantly narrowing the tolerance range for these properties and enhancing the stability of luminous flux, voltage, and color temperature.

UGR

The UGR scale unifies various glare evaluation methods by describing subjective perception in measurable terms. It ranges from 10 to 30, with 10 indicating no glare and 30 indicating discomfort glare. The UGR value is not a characteristic of the luminaire but of the entire installation, so the calculated values are based on a common standard installation. Calculating for your specific installation is recommended to ensure the desired UGR value.

Luminous Flux (Lumen)

This is the measurement of the total luminous output emitted by a light source throughout the surrounding space.

Illuminance (Lux)

This is the unit that measures the degree of luminous flux received on a surface. The lux can also be defined as the number of lumens/m²

Luminous Efficiency (lm/W)

Specifies the efficiency of a light source converting electrical energy into light.

Luminaire Efficiency - LOR (%)

This is the ratio of light output emitted by the luminaire to the light output emitted by its lamps.

IK

The IK protection level is an international numerical classification for the degrees of protection provided by casings of electrical materials against external mechanical impacts, as specified in Table 1.

IP CODE

A coding system that defines the level of protection an enclosure offers against access to hazardous parts, solid foreign objects, and water ingress. The IP code includes **X & Y** following the letters “IP,” with their meanings outlined in Table 2.

TABLE 1

IK Code	IK00	IK01	IK02	IK03	IK04	IK05	IK06	IK07	IK08	IK09	IK10
Impact Energy (kilogram/kg)	*	0.015	0.020	0.036	0.051	0.071	0.10	0.20	0.51	1.02	2.04

DIMMING

DALI (Digital Addressable Lighting Interface)

DALI is a dimming standard for lighting that facilitates the integration of equipment from various manufacturers into a unified network. A DALI network includes a controller and one or more lighting devices equipped with DALI interfaces.

Analogue 1/10V

Continuous dimming via analogue control signal. Light levels can be set anywhere between 10% to 100% of light output.

Triac

Phase cutting is achieved by connecting a dimmer in-line between the power supply and the equipment, eliminating the need for an additional control signal. The method of cutting the mains voltage determines whether it is classified as Leading-edge or Trailing-edge dimming.

Dim on Board

The luminaire has an integrated dimmer for direct and individual control.




TABLE 2

	X	Y
IP	Protection against penetration of solid foreign objects	Protection against penetration of moisture
0	No protection	No protection
1	Objects of $\phi > 50\text{mm}$	Vertical dripping water
2	Objects of $\phi > 12.5\text{mm}$	Dripping water tilted up to 15°
3	Objects of $\phi > 2.5\text{mm}$	Dripping water tilted up to 60°
4	Objects of $\phi > 1\text{mm}$	Splashing water in all directions
5	Dust can enter in a harmless quantity	Waterjets in all directions
6	No entry of dust	Stronger waterjets in all directions
7	-	Temporary immersion
8	-	Constant immersion under manufacturer's conditions





BOLLARD LIGHT

They are elegant sentinels of illumination, are short, sturdy vertical posts designed to illuminate pathways and landscapes. These fixtures, often cylindrical in shape, offer a harmonious blend of functionality and aesthetic appeal. Crafted from durable materials like ADC12 Aluminium, bollard lights provide a warm, ambient glow, enhancing the ambiance of outdoor spaces while ensuring safe navigation.



TRON

Tron Series brings sleek wall and bollard lighting with refined construction and dependable performance. Finished in Forest Green, it blends seamlessly outdoors while delivering elegance.

BODY COLOUR

Sand Green

CCT.


3000K

LED

Bridgelux



Wall Light
pg. 68



CH 2513-900-8W

Flux 509 Lm

Material

Aluminium + Glass



117°





ZETA

Zeta showcases an exceptional glass-on-glass design, available in both wall and bollard configurations. Crafted from ADC12-grade aluminum with a pure polyester coating.

BODY COLOUR

Black

CCT.


3000K

LED

Osram



Wall Light
pg. 70



CH 2540-450-9W


Flux 520 Lm

Material

Aluminium + Glass



120°



CH 2540-900-9W

Flux 520 Lm

Material

Aluminium + Glass



120°



TONE

Tone features a warm wood-finish look in wall and bollard options that blend naturally into outdoor spaces. Made from durable ADC12 aluminum with a UV-protected finish for long-lasting, elegant glow.

BODY COLOUR


Dark Grey + Wood
Water Painting



SOURCE

(E27) Without Lamp

Wall Light
pg. 72



CH 2539-840-E27

Material

Aluminium + Glass





ALCM

ALCM Outdoor Light Series combines durability and modern design, offering both wall and bollard lights crafted from premium concrete and ADC12-grade aluminum.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Osram



Wall Light
pg. 74



CH 2537-900-9W


Flux 680 Lm

Material

Aluminium + PC + Concrete



120°





PLURA

Plura combines industrial and modern aesthetics with robust construction, available as both wall and bollard lights. Crafted from premium concrete and ADC12-grade aluminum.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Osram



Wall Light
pg. 84



CH 2541-680-10W

Flux 600 Lm

Material

Aluminium + PC + Concrete



120°



CHRONO

Chrono Bollard blends elegance with functional landscape lighting. It offers a soft, ambient glow that enhances pathways and outdoor spaces with refined simplicity.

BODY COLOUR


Sand Grey

CCT.

3000K

LED

Bridgelux



CH 2512-8W

Flux 490 Lm

Material

Aluminium + PC



160°



CAMP-2

Camp-2 is a range of wall, bollard, and post-top luminaires, crafted to provide volumetric lighting with anti-yellowing opal diffusers.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Cree



Wall Light
pg. 86

Pole Light
pg. 184



CH 19113-800-8W-2

Flux 521 Lm

Material

Aluminium





ARCHAIOS

Archaios is a collection of gate, wall, bollard, and pole lights crafted from ADC12-grade material. Designed to replicate the appearance of lanterns from bygone eras, this luminaire features a dark coffee shade.

BODY COLOUR

Matte Coffee

SOURCE


(E27) Without Lamp



Wall Light
pg. 88

Gate Light
pg. 172

Pole Light
pg. 186



CH 2408-800-E-27

Material
Aluminium





BABKA

A water-resistant luminaire offering 360-degree volumetric illumination for uniform light distribution in all directions, making it perfect for both indoor and outdoor use.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Osram



Wall Light
pg. 94



CH 2417-800-18W

Flux 1379 Lm

Material

Aluminium + PC



94°





COMP

A versatile and modern lamp designed for walls, bollards, or gates, offering a range of configurations to enhance and accentuate your landscaping. Perfect for creating an elegant and functional outdoor ambience.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Osram



Wall Light
pg. 98

Gate Light
pg. 174



CH 2405-300-8W

Flux 533Lm

Material
Aluminium



CH 2405-600-8W

Flux 533Lm

Material
Aluminium





PERCH

Perch is an indirect luminaire with a unique design that emits light in the form of rays. Crafted from stainless steel and aluminum, it features an IK07 impact protection rating, making it ideal for highlighting spaces. It can also double as a decorative furniture piece.

BODY COLOUR


Sand Black

CCT.

3000K

LED

Cree



CH 2206-10W

Flux 277 Lm

Material

Stainless Steel + Aluminium



360°

TROMSO

Tromso is a two-way bollard luminaire with a modern design aesthetic, offering illumination up to 5 feet in both directions and available in two size options.

BODY COLOUR

Grey


CCT.

3000K

LED

Cree






CH 2364-300-12W

Flux 613 Lm

Material
Aluminium



CH 2364-800-12W

Flux 613 Lm

Material
Aluminium



GRU

Gru is engineered to provide volumetric illumination both forward and sideways. It comes in a range of wall and bollard models, making it ideal for accentuating pathways and walls.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Everlight

Wall Light
pg. 104






CH 2304-650-10W

Flux 650 Lm

Material
Aluminium



100°



CH 2304-920-10W

Flux 650 Lm

Material
Aluminium



100°



FORMA

Forma is a bollard light available in two size options, providing 180-degree illumination.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Osram



CH 2211-300-12W


Flux 750 Lm

Material

Aluminium



180°



CH 2211-800-12W

Flux 750 Lm

Material

Aluminium



180°



AVA

Ava is a bollard luminaire showcasing a distinctive bent, sleek pipe design.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



CH 2365-6W

Flux 244 Lm

Material

Aluminium





TOWER

Tower is a Red Dot award-winning range of wall, bollard, and pendant lights, featuring a glass box that provides indirect illumination. This design minimizes glare and conceals the light source, offering a modernized interpretation of a lantern.

BODY COLOUR

Dark Grey

CCT.

3000K



LED

Lextar



Wall Light
pg. 118

Pendant Light
pg. 204



CH 16501-1100-13W

Flux 800 Lm

Material

Aluminium + Glass



138°



LEIOS

Leios is a range of bollard lights that offer 360-degree downward illumination, designed to help reduce light pollution

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Osram



CH 2212-300-12W


Flux 550 Lm

Material

Aluminium



121°



CH 2212-800-12W

Flux 550 Lm

Material

Aluminium



121°



CAMP

Camp is a range of wall, bollard, and post-top luminaires, crafted to provide volumetric lighting with anti-yellowing opal diffusers.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Cree



Wall Light
pg. 126

Pole Light
pg. 188



CH 19113-800-8W

Flux 521 Lm

Material

Aluminium





FANOS

Fanos is a collection of wall and bollard lights offering 360-degree glare-free downward illumination, designed to prevent light pollution.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Osram



Wall Light
pg. 120



CH 2213-800-12W


Flux 550 Lm

Material

Aluminium



101°





HALLOW

Hallow is a bollard luminaire with a modern design, providing downward illumination that covers a 2-meter radius with adequate lux levels.



BODY COLOUR

Dark Grey

CCT.


3000K

LED

Epistar



110°



CH 19209-1000-10W

Flux 500 Lm

Material

Aluminium



BODY COLOUR

Dark Grey

CCT.

3000K

LED

Edison

CURVE-P



130°




IP
65



CRI
≥80

Curve-P is a bollard light that features two-way diffused illumination, perfect for highlighting pathways on both sides.



CH 19208-600-18W

Flux 1500 Lm

Material
Aluminium





MYSTIC-P

Mystic-P is a collection of various luminaires with a contemporary geometric design, offered in wall, ceiling, bollard, and pendant light configurations.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Lextar



Wall Light
pg. 124

Pendant Light
pg. 202



CH 19105-1000-10W

Flux 500 Lm

Material

Aluminium



100°



SITRA

Sitra is a range of wall and bollard lights designed for volumetric lighting applications.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Edison



Wall Light
pg. 128



CH 19207-600-18W

Flux 1800 Lm

Material

Aluminium





SOLAR

Solar is a range of wall and bollard lights that operates entirely without an AC power connection. Powered by an inbuilt solar panel and battery box, it includes a motion sensor to conserve battery and ensure longer operation. This eco-friendly luminaire helps reduce electrical load and eliminates the need for wiring, making it a sustainable lighting solution.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

BridgeLux



Wall Light
pg. 162




CH 11602-600-2.5W

Flux 150 Lm

Material

Aluminium



CH 11602-1000-2.5W

Flux 150 Lm

Material

Aluminium



Mode 1:

In this mode, the light will always be at 15% of its Intensity but when the sensor detects a moving Person/Object it will change its Intensity to 100% till the Person/Object is in the range of the Sensor.

Mode 2:

In this mode, the light will always be at 100% of its Intensity regardless of any moving Person/Object.

Mode 3:

In this mode, the light will always be at 0% of its Intensity. (Always switched off)



SCANDIA

Scandia is a range of wall and bollard lights that provide 360-degree downward illumination, available in multiple size options.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Lextar




Wall Light
pg. 122



CH 16303-600-13W

Flux 900 Lm

Material
Aluminium



CH 16303-1000-13W

Flux 900 Lm

Material
Aluminium



SCANDIA

Scandia is a range of bollard and gate lights with volumetric illumination.

BODY COLOUR

Dark Grey


LED

Osram

CCT.

3000K





CH 16402-450-8W

Flux 904 Lm

Material
Aluminium





CASTOR


Castor is a bollard light with multiple size options, equipped with an E27 holder for easy maintenance.

BODY COLOUR

Dark Grey


SOURCE

Without Led (E27)



CH 13402-300

Material
Aluminium



CH 13402-500

Material
Aluminium

ALPA

Alpa is a range of wall and bollard luminaires that provide volumetric illumination.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Epistar



Wall Light
pg. 164



CH 9060-800-12W

Flux 1067 Lm

Material

Aluminium



120°







WALL LIGHT

Wall lights, like beacons of elegance, illuminate your outdoor spaces with a touch of sophistication. These fixtures, meticulously crafted to withstand the elements, cast a warm and inviting glow, enhancing the beauty of your home's exterior. Whether you prefer the classic charm of a lantern-style design or the modern allure of sleek minimalism, outdoor wall lights add a touch of refinement to your home's curb appeal.



TRON

Tron Series brings sleek wall and bollard lighting with refined construction and dependable performance. Finished in Forest Green, it blends seamlessly outdoors while delivering elegance.

BODY COLOUR

Sand Green

CCT.


3000K

LED

Bridgelux



Bollard Light
pg. 14



CH 2513-8W

Flux 509 Lm

Material

Aluminium + Glass



117°



ZETA

Zeta showcases an exceptional glass-on-glass design, available in both wall and bollard configurations. Crafted from ADC12-grade aluminum with a pure polyester coating.

BODY COLOUR

Black

CCT.


3000K

LED

Osram



Bollard Light
pg. 16



CH 2540-9W

Flux 520 Lm

Material

Aluminium + PC



120°



TONE

Tone features a warm wood-finish look in wall and bollard options that blend naturally into outdoor spaces. Made from durable ADC12 aluminum with a UV-protected finish for long-lasting, elegant glow.

BODY COLOUR

Dark Grey + Wood
Water Painting




SOURCE

(E27) Without Lamp



Bollard Light
pg. 18



CH 2539-E27

Material

Aluminium + PC





ALCM

ALCM Outdoor Light Series combines durability and modern design, offering both wall and bollard lights crafted from premium concrete and ADC12-grade aluminum.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Osram



Bollard Light
pg. 20



CH 2537-9W

Flux 750 Lm

Material

Aluminium + PC + Concrete





AMOS

Amos Outdoor Wall Light reimagines the classic lantern with a clean rectangular form in sand beige. Made from durable ADC12 aluminum with a UV-protected finish.

BODY COLOUR


Sand Beige

CCT.

3000K

LED

Osram



CH 2542-9W

Flux 800 Lm

Material

Aluminium + Glass



120°



VEGA

Vega pairs contemporary styling with a classic glass sconce look. Built from durable ADC12 aluminum with a UV-protected finish, it delivers even, elegant lighting that elevates facades and entrances.


BODY COLOUR

Black



SOURCE

(E14) Without Lamp



CH 2536-E14

Material

Aluminium + PC





KOVA

Kova Outdoor Wall Light features a round lantern-inspired form in sand beige with a classic yet modern appeal. Built from durable ADC12 aluminum with a UV-protected finish.

BODY COLOUR


Sand Beige

CCT.

3000K

LED

Osram



CH 2543 -9W

Flux 800 Lm

Material

Aluminium + Glass



120°



FERRO

Ferro brings a classic design and elegant illumination to facades and entrances. Built from durable ADC12 aluminum with a UV-protected finish for lasting performance and color stability.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Osram



CH 2538-9W

Flux 700 Lm

Material

Aluminium + PC



120°



PLURA

Plura combines industrial and modern aesthetics with robust construction, available as both wall and bollard lights. Crafted from premium concrete and ADC12-grade aluminum.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Osram



Bollard Light
pg. 22



CH 2541-10W

Flux 600 Lm

Material

Aluminium + PC + Concrete



120°



CAMP-2

Camp-2 is a range of wall, bollard, and post-top luminaires, crafted to provide volumetric lighting with anti-yellowing opal diffusers.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Cree



Bollard Light
pg. 26

Pole Light
pg. 184



CH 19113-8W-2

Flux 521 Lm

Material

Aluminium





ARCHAIOS

Archaïos is a collection of gate, wall, bollard, and pole lights crafted from ADC12-grade material. Designed to replicate the appearance of lanterns from bygone eras, this luminaire features a dark coffee shade.

BODY COLOUR

Matte Coffee

SOURCE


(E27) Without Lamp



Bollard Light
pg. 28

Gate Light
pg. 172

Pole Light
pg. 186



CH 2408-E-27

Material
Aluminium





LEO-2

LEO is a stylish and durable luminaire, with a long lifespan. Moreover, they are water-resistant and they enhance the beauty and functionality of outdoor spaces.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Osram



CH 2419-18W

Flux 1375 Lm

Material

Aluminium + PC



104°



LEO

LEO is a stylish and durable luminaire, with a long lifespan. Moreover, they are water-resistant and they enhance the beauty and functionality of outdoor spaces.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Osram




CH 2418-18W

Flux 1355 Lm

Material

Aluminium





BABKA

A water-resistant luminaire offering 360° volumetric illumination for uniform light distribution in all directions, making it perfect for both indoor and outdoor use.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Osram



Bollard Light
pg. 30



CH 2417-24W

Flux 2060 Lm

Material

Aluminium + PC



112°



MAKELLOS

Makellos is an IP65-rated up-and-down wall light equipped with adjustable flaps that allow you to modify and customize the beam angle for achieving any preferred outdoor lighting effect.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree




CH 2406-6W

Flux 302 Lm

Material

Aluminium





COMP

A versatile and modern lamp designed for walls, bollards, or gates, offering a range of configurations to enhance and accentuate your landscaping. Perfect for creating an elegant and functional outdoor ambiance.

BODY COLOUR

Grey

CCT.

3000K


LED

Osram



Bollard Light
pg. 32

Gate Light
pg. 174




CH 2405-8W

Flux 448 Lm

Material

Aluminium





PANO

Pano is an indirect wall light designed to highlight spaces with soft, glare-free illumination, creating a comfortable and aesthetically pleasing atmosphere. Ideal for enhancing exteriors without compromising on visual comfort.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



CH 2407-7W

Flux 413 Lm

Material

Aluminium





TED

TED is an outdoor wall luminaire equipped with specialized optics that minimize glare and help control light pollution. The optics are engineered to provide a forward light throw of 4 meters and a side throw totaling 7 meters. It is ideal for illuminating task-oriented landscapes with fewer fixtures, thereby reducing electrical load efficiently.

BODY COLOUR





Dark Grey

CCT.

3000K

LED

Osram



CH 2432-13W

Flux 1100 Lm

Material

Aluminium





GRU

Gru is engineered to provide volumetric illumination both forward and sideways. It comes in a range of wall and bollard models, making it ideal for accentuating pathways and walls.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Everlight



Bollard Light
pg. 38



CH 2304-10W

Flux 650 Lm

Material

Aluminium





MEGA

Mega is a wall-mounted luminaire crafted to provide vertical volumetric lighting.

BODY COLOUR



Dark Grey

CCT.

3000K

LED

Osram



CH 2362-12W


Flux 504 Lm

Material

Aluminium



152°



OSAC

OSAC is a wall-mounted luminaire that delivers both upward and downward lighting, enhanced with wooden accents for a stylish aesthetic.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Hongli



CH 2303-2X5W

Flux 450 Lm

Material

Aluminium





BRIC

A durable and stylish luminaire offering two-way illumination, with adjustable flaps that allow you to customize the lighting effect to your preference.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



CH 19112-2x6W

Flux 473 Lm

Material

Aluminium



0°-97°

HELEN



BODY COLOUR

Dark Grey

CCT.

3000K

LED

Cree



70mm



70mm



58mm

CH 2390-5W

Flux 300 Lm

Material

Aluminium



10°-80°



70mm



100mm



58mm

CH 2390-2X3W

Flux 360 Lm

Material

Aluminium



10°-80°

JESS

A sleek, compact wall luminaire with a slim 16mm profile. It is available in two configurations: single and two-way illumination.

BODY COLOUR


Dark Grey

CCT.

3000K

LED


Cree



CH 2391-6W

Flux 360 Lm

Material
Aluminium



CH 2391-2X6W

Flux 720 Lm

Material
Aluminium





PERIKO

A wall luminaire engineered to provide vertical volumetric lighting, making it ideal for task-oriented outdoor areas such as driveways.

BODY COLOUR




Dark Grey

CCT.

3000K

LED

Osram



CH 2214-12W-SQ

Flux 750 Lm

Material

Aluminium



114°

CH 2214-12W-RD

Flux 750 Lm

Material

Aluminium



114°



PETRI

An elegant collection of wall and pendant luminaires, designed with a cement bowl for planting, combining greenery with lighting to enhance the ambiance of your space.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Lextar



Pendant Light
pg. 200



CH 19106-6W

Flux 240 Lm

Material

Aluminium + Cement Bowl



100°



TOWER

Tower is a Red Dot award-winning range of wall, bollard, and pendant lights, featuring a glass box that provides indirect illumination. This design minimizes glare and conceals the light source, offering a modernized interpretation of a lantern.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Lextar



Bollard Light
pg. 44

Pendant Light
pg. 204



CH 16501-13W

Flux 800 Lm

Material

Aluminium + Glass



138°



FANOS

Fanos is a collection of wall and bollard lights offering 360-degree glare-free downward illumination, designed to prevent light pollution.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Osram



Bollard Light
pg. 50



CH 2213-12W

Flux 550 Lm

Material

Aluminium



101°



SCANDIA

Scandia is a range of wall and bollard lights that provide 360° downward illumination, available in multiple size options.

BODY COLOUR

Grey

CCT.


3000K

LED

Lextar



Bollard Light
pg. 60



CH 16303-13W

Flux 900 Lm

Material

Aluminium



114°



MYSTIC

A collection of various luminaires with a contemporary geometric design, offered in wall, ceiling, bollard, and pendant light configurations.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Lextar



Bollard Light
pg. 54

Pendant Light
pg. 202



CH 19103-10W

Flux 500 Lm

Material

Aluminium



100°



CAMP

A range of wall, bollard, and post-top luminaires, crafted to provide volumetric lighting with anti-yellowing opal diffusers.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Cree



Bollard Light
pg. 48

Pole Light
pg. 188



CH 19113-8W

Flux 521 Lm

Material

Aluminium



177°



SITRA

Sitra is a range of wall and bollard lights designed for volumetric lighting applications.

BODY COLOUR

Dark Grey

CCT.

3000K

LED

Epistar (9W) |
Edison (18W)




(9W)



(18W)




Bollard Light
pg. 56



CH 19201-9W

Flux 680 Lm

Material
Aluminium



CH W-19202-18W

Flux 1800 Lm

Material
Aluminium





KEROS

Keros is a compact wall light offered in two configurations, featuring single-sided or dual lighting outputs.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



CH 2366-1x4W

Flux 213 Lm

Material

Aluminium





KEROS

Keros is a compact wall light offered in two configurations, featuring single-sided or dual lighting outputs.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



KEROS-2x3W


Flux 420 Lm

Material

Aluminium



75°



GIMBO

Gimbo is an up-and-down narrow beam luminaire featuring 10-degree tight beam lenses, ideal for accentuating pillars or walls.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Osram



CH 3000S/2-10x1W

Flux 700 Lm

Material
Aluminium



BELLA




Bella is a surface-mounted wall light equipped with an E27 holder, designed for easy maintenance.

BODY COLOUR

Dark Grey

SOURCE

(E27) Without Lamp



CH 12211

Material

Aluminium



ECLIPSE

Eclipse is a wall luminaire with a thick border of diffused light, versatile enough to be used as both a ceiling light and a wall lamp.

BODY COLOUR


Shiny Black

CCT.

3000K

LED

Epistar



CH 6160-9.6W

Flux 630 Lm

Material

Aluminium



160°



MARCEL

Marcel is a wall luminaire crafted to deliver volumetric vertical illumination.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Osram



CH 4194-12W

Flux 934 Lm

Material

Aluminium



113°

MARCEL

Marcel is a wall luminaire crafted to deliver vertical illumination.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

LG



CH 4197-16x0.5W


Flux 580 Lm

Material

Aluminium



205°117°



CH 5198-16x0.5W

Flux 534 Lm

Material

Aluminium



205°96°



BALL

Ball is a wall light crafted to provide indirect illumination, creating a captivating halo effect.



BODY COLOUR


Dark Grey

CCT.

3000K

LED

Epistar



CH W-1248-12W

Flux 700 Lm

Material

Aluminium



120°



DAWN

Dawn is an asymmetrical floor washer available in round and square designs, providing 50°-80° illumination.



BODY COLOUR

Dark Grey

CCT.

3000K

LED

Osram



φ230mm



54mm

CH 1911-8W

Flux 384 Lm

Material

Aluminium



84°x56°



MARMO

Marmo is a wall light featuring a stunning marble finish and an edge-lit design, available in both round and square options.

BODY COLOUR



Dark Grey + Marble Finish

CCT.

3000K

LED

Edison



CH 1249-18W


Flux 1500 Lm

Material

Aluminium



120°



CH 1250-18W

Flux 1300 Lm

Material

Aluminium



120°



TION

Tion is a range of one-way and two-way wall lights, available in round and square shapes with various wattage options.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree




CH 3478-2x12W

Flux 2400 Lm

Material

Aluminium



MOBA

Moba is a series of surface-mounted asymmetrical wall luminaires, offered in three size options, ideal for illuminating your floor without causing glare.

BODY COLOUR

Dark Grey


CCT.

3000K

LED

Sanan







CH 9043-5W

Flux 483 Lm



Material
Aluminium



CH 9042-5W

Flux 350 Lm


Material
Aluminium



CH 9044-6W

Flux 550 Lm

Material
Aluminium





CIARA

Ciara is a range of one-way and two-way wall lights, available in round and square shapes with various wattage options.

BODY COLOUR


Dark Grey

CCT.

3000K

LED


Cree



CH 3093-1x12W

Flux 1200 Lm

Material
Aluminium



CH 3094-2x12W

Flux 2400 Lm

Material
Aluminium





CAP

Cap is a surface-mounted wall luminaire designed for vertical illumination, ideal for highlighting areas such as unmanned boundaries.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Edison



CH W-17500-22W

Flux 1800 Lm

Material

Aluminium



90°



ARTE

Arte is a wall light with three-way illumination.

BODY COLOUR


White

CCT.

3000K

LED

Epistar



CH W-1232-3x3W

Flux 285 Lm

Material

Aluminium



24°







ZONO

Zono is a wall luminaire offering multiple beam angle options along with one-way and two-way illumination configurations, ideal for creating captivating wall installations.

BODY COLOUR

Dark Grey


CCT.

3000K

LED

Cree

CRI
≥80



CH 2281-2x3W

Flux 240 Lm

Material

Aluminium



4°



ZONO

Zono is a wall luminaire offering multiple beam angle options along with one-way and two-way illumination configurations, ideal for creating captivating wall installations.

BODY COLOUR

Dark Grey


CRI
≥80

CCT.

3000K

LED


Cree |
Osram (CH 4736) |
LG (CH 4737)



CH 4735-1x3W

Flux 240 Lm


Material
Aluminium



CH 4735-2x3W

Flux 280 Lm


Material
Aluminium



CH 4736-2x3W

Flux 380 Lm

Material
Aluminium



CH 4737-2x3W

Flux 280 Lm

Material
Aluminium



SANDY




Sandy is a one-way wall light equipped with a GU10 bulb, designed for easy maintenance.

BODY COLOUR

Dark Grey

SOURCE

Gu10 
Without Led



CH 7071

Material

Aluminium

ROCK

Rock is a surface-mounted footlight offered in two size options.

BODY COLOUR

Dark Grey





CCT.

3000K

LED


Epistar (2W) |
Cree (3.6W)



CH 3127-2W

Flux 160 Lm

Material
Aluminium



CH 3128-3.6W

Flux 320 Lm

Material
Aluminium





SOLAR

Solar is a range of wall and bollard lights that operates entirely without an AC power connection. Powered by an inbuilt solar panel and battery box, it includes a motion sensor to conserve battery and ensure longer operation. This eco-friendly luminaire helps reduce electrical load and eliminates the need for wiring, making it a sustainable lighting solution.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

BridgeLux



Bollard Light
pg. 58




CH 11601-2.5W

Flux 150 Lm

Material

Aluminium



Mode 1:

In this mode, the light will always be at 15% of its Intensity but when the sensor detects a moving Person/Object it will change its Intensity to 100% till the Person/Object is in the range of the Sensor.

Mode 2:

In this mode, the light will always be at 100% of its Intensity regardless of any moving Person/Object.

Mode 3:

In this mode, the light will always be at 0% of its Intensity. (Always switched off)

ALPA



Alpa is a range of wall and bollard luminaires that provide volumetric illumination.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Epistar



Bollard Light
pg. 65



CH 9060-12W

Flux 1067 Lm

Material

Aluminium



120°

CUBE

Cube is a compact feature light providing two-way illumination.

BODY COLOUR


Dark Grey

CCT.

3000K

LED


Epistar |
Cree



CH 3321-2X1W

Flux 118 Lm

Material
Aluminium



CH 3322-2X1W

Flux 120 Lm

Material
Aluminium





QUAD

Quad is a wall-mounted luminaire that delivers volumetric vertical illumination.

BODY COLOUR


Black

CCT.

3000K

LED

Osram





CH 6156-12W

Flux 1030 Lm

Material

PC



CH 6157-12W

Flux 960 Lm

Material

PC





GLITTER

Glitter is a four-way feature light that emits a tight 4-degree illumination, creating a sparkling effect.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



CH 2319-4x3W

Flux 600 Lm

Material

Aluminium



4°





GATE LIGHT

Gate lights, elegant sentinels of a home's entrance, illuminate pathways and welcome visitors with their warm glow. These fixtures, often mounted on pillars or directly to the gate, are designed to enhance both security and aesthetic appeal. Crafted from durable materials like ADC12 Aluminium, gate lights offer a variety of styles, from classic to contemporary, adding a touch of sophistication to any architectural setting.



ARCHAIOS

Archaios is a collection of wall, bollard, gate, and pole lights crafted from ADC12-grade material. Designed to replicate the appearance of lanterns from bygone eras, this luminaire features a dark coffee shade.

BODY COLOUR

Matte Coffee




SOURCE

(E27) Without Lamp

Bollard Light
pg. 28

Wall Light
pg. 88

Pole Light
pg. 186



CH 2503-240-E27

Material
Aluminium





COMP

A versatile and modern lamp designed for walls, bollards, or gates, offering a range of configurations to enhance and accentuate your landscaping. Perfect for creating an elegant and functional outdoor ambiance.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Osram



Bollard Light
pg. 32

Wall Light
pg. 98



CH 2361-8W

Flux 411 Lm

Material

Aluminium



180°



SCANDIA

A range of post-top luminaires and gate lights delivering high performance, offering powerful illumination for your backyard or entryways.

BODY COLOUR


Dark Grey

CCT.

3000K

LED


Osram



CH 16602-300-8W

Flux 780 Lm

Material
Aluminium



CH 16302-300-8W

Flux 780 Lm

Material
Aluminium





SCANDIA

A range of post-top luminaires and gate lights delivering high performance, offering powerful illumination for your backyard or entryways.

BODY COLOUR

Dark Grey

CCT.

3000K

LED

Osram




CH 16307



CH 16304

Pole Light
pg. 190



CH 16307-760-36W


Flux 2190 Lm

Material

Aluminium



105°



CH 16304-765-36W

Flux 3460 Lm

Material

Aluminium



155°



QUAD-2

A gate light designed to provide volumetric illumination.

BODY COLOUR

Dark Grey

SOURCE


(E27) Without Lamp



CH 6153




CH 6154



CH 6153

Material
Aluminium



CH 6154

Material
Aluminium







POLE LIGHT

The silent guardians of illuminated landscapes, stand tall as beacons of light. These elegant structures, often adorned with graceful curves and intricate details, cast a warm and inviting glow upon streets, parks, and public spaces. Crafted from durable materials like steel or ADC12 Aluminium, pole lights offer a harmonious blend of form and function, enhancing both the safety and aesthetic appeal of any outdoor environment.



CAMP-2

Camp-2 is a range of wall, bollard, and post-top luminaires, crafted to provide volumetric lighting with anti-yellowing opal diffusers.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Cree



Wall Light
pg. 86

Bollard Light
pg. 26



CH 19113-2410-3X8W-2

Flux 1316 Lm

Material

Aluminium





ARCHAIOS

Archaios is a collection of wall, bollard, and pole lights crafted from ADC12-grade material. Designed to replicate the appearance of lanterns from bygone eras, this luminaire features a dark coffee shade.

BODY COLOUR

Matte Coffee

SOURCE


(E27) Without Lamp



Bollard Light
pg. 26

Wall Light
pg. 88

Gate Light
pg. 172



CH 2408-3-2455-E-27

Material
Aluminium





CAMP

A range of wall, bollard, and post-top luminaires, crafted to provide volumetric lighting with anti-yellowing opal diffusers.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Cree



Bollard Light
pg. 48

Wall Light
pg. 126



CH 19113-2410-3X8W

Flux 1316 Lm

Material

Aluminium



177°





SCANDIA

A range of post-top luminaires and gate lights delivering high performance, offering powerful illumination for your backyard or entryways.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Osram



Gate Light
pg. 178



CH 16306-2750-36W


Flux 2190 Lm

Material

Aluminium



105°



CH 16304-2930-36W


Flux 3460 Lm

Material

Aluminium



155°





TOWER-P

Tower is a range of pole lights available in round and square designs, offered in two size options. Crafted from sturdy ADC12 material, it features an IK07 impact protection rating.

BODY COLOUR

Dark Grey

CCT.

3000K

LED

Cree



CH 16503-2000-30W


Flux 2500 Lm

Material

Aluminium



73°



CH 16503-2500-30W


Flux 2500 Lm

Material

Aluminium



73°





TOWER-P

Tower is a range of pole lights available in round and square designs, offered in two size options. Crafted from sturdy ADC12 material, it features an IK07 impact protection rating.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



CH 16504-2000-30W

Flux 2500 Lm

Material

Aluminium



73°



CH 16504-2500-30W


Flux 2500 Lm

Material

Aluminium



73°





TOWER-P

Tower is a range of pole lights available in round and square designs, offered in two size options. Crafted from sturdy ADC12 material, it features an IK07 impact protection rating.

BODY COLOUR

Dark Grey

CCT.

3000K

LED

Cree



CH 16505-2000-24W

Flux 1600 Lm

Material

Aluminium



360°







PENDANT LIGHT

Pendant lights grace interior spaces with their ethereal beauty. These elegant fixtures, often adorned with intricate details and captivating materials, cast a warm and inviting glow upon dining tables, kitchen islands, and living room corners. Whether minimalist or maximalist, pendant lights add a touch of sophistication and style, elevating the ambiance of any room.



PETRI-H

Petri is an elegant collection of wall and pendant luminaires, designed with a cement bowl for planting, combining greenery with lighting to enhance the ambiance of your space.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Lextar



Wall Light
pg. 116




CH 19107-6W

Flux 240 Lm

Material

Aluminium + Cement Bowl





MYSTIC-H

Mystic is a collection of various luminaires with a contemporary geometric design, offered in wall, ceiling, bollard, and pendant light configurations.

BODY COLOUR

Dark Grey

CCT.

3000K


LED

Lextar



Bollard Light
pg. 54

Wall Light
pg. 124



CH 19102-10W

Flux 500 Lm

Material

Aluminium





TOWER-H

Tower is a Red Dot award-winning range of wall, bollard, and pendant lights, featuring a glass box that provides indirect illumination. This design minimizes glare and conceals the light source, offering a modernized interpretation of a lantern.



BODY COLOUR

Dark Grey

CCT.

3000K


LED

Lextar



Bollard Light
pg. 44

Wall Light
pg. 118




CH 19101-13W

Flux 780 Lm

Material

Aluminium + Glass







CEILING LIGHT

They illuminate rooms with their soft, diffused glow. These fixtures, suspended gracefully from the ceiling, offer a harmonious blend of form and function, enhancing both the ambiance and aesthetic appeal of any environment. Whether a classic chandelier, a sleek pendant light, or a minimalist flush mount, ceiling lights cast a spellbinding aura, transforming ordinary spaces into extraordinary havens.



SKYRO

Functional and aesthetic surface lights crafted from hand-cast concrete and gypsum, featuring superior aluminum optics. With an 80° beam angle, these lights offer wide area coverage while adding a modern, stylish touch to any space.

BODY COLOUR


Concrete

CCT.

3000K

LED

Philips




CH 2414-R-10W

Flux 793 Lm

Material

Concrete + Aluminium



CH 2414-S-10W

Flux 793 Lm

Material

Concrete + Aluminium





LENN

Lenn is a range of surface-mounted ceiling downlights available in multiple wattage options, featuring a DOB LED that is TRIAC dimmable.

BODY COLOUR

Black

CCT.

3000K | 4000K

LED


Lumens



CH 205-8W

Flux 420 | 434 Lm


Material
Aluminium



CH 206-15W

Flux 898 | 883 Lm


Material
Aluminium



CH 2129-20W

Flux 1192 | 1271 Lm

Material
Aluminium



CH 2130-30W

Flux 2017 | 2160 Lm

Material
Aluminium



MICRO

Micro is a diffused ceiling light designed to provide volumetric lighting output.



BODY COLOUR


Dark Grey

CCT.

3000K

LED

Toshiba



CH 18901-20W

Flux 1050 Lm

Material

Aluminium



120°

SAFE

Safe is a diffused ceiling light designed to provide volumetric lighting output.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Everlight



CH 18701-20W


Flux 1200 Lm

Material

Aluminium



120°



CH 18702-20W

Flux 1200 Lm

Material

Aluminium



120°



CASE

Case is a range of ceiling downlights with a very wide beam.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



CH 3174-15W

Flux 1500 Lm

Material
Aluminium





STEAM

Steam is a recessed downlight offered in two wattage options.

BODY COLOUR

White | Black



CCT.

3000K | 4000K |
Tunable White

LED

Bridgelux



CH 2420-7W



CH 2103-15W



CH 2420-7W


 $\phi 55\text{mm}$

Flux 560 Lm

Material
Aluminium



36°



CH 2103-15W

 $\phi 75\text{mm}$

Flux 1650 Lm

Material
Aluminium



50°





FOOT LIGHT

Footlights, subtle sources of illumination, cast a soft glow on a stage or performance area. These lights, positioned at the front of the stage, illuminate the performers' feet, enhancing their visibility and creating a dramatic effect.



MIKO

Miko is a sleek recessed foot light.

BODY COLOUR

Grey | Dark Grey
(2W) (4W)


CRI
≥80

CCT.

3000K

LED

Osram (2W) |
Samsung (4W)




CH 8322-4x0.5W

 78x43mm

Flux 120 Lm

Material
Aluminium



CH 800204-4W

 132x56mm

Flux 240 Lm

Material
Aluminium





FULI

Fuli is a recessed footlight designed to provide powerful illumination.

BODY COLOUR



Dark Grey

CCT.

3000K

LED

Osram



CH 4975-5x1W

 160x100x75mm

Flux 300 Lm

Material
Aluminium



BALI

An array of footlights is available with multiple output options, including some with volumetric effects and others featuring specialty lenses to create mesmerizing outputs.



BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



CH 1311-3W



Flux 60 Lm

Material
Aluminium



BUZO

An array of footlights is available with multiple output options, including some with volumetric effects and others featuring specialty lenses to create mesmerizing outputs.



BODY COLOUR


White

CCT.

3000K

LED

Cree



CH GY-5-3W



Flux 275 Lm

Material
Aluminium



BODY COLOUR

White

CCT.


3000K

LED

Cree

TIM

An array of footlights is available with multiple output options, including some with volumetric effects and others featuring specialty lenses to create mesmerizing outputs.

**CH OF-79-3W**

A small icon of a key, followed by the text 'φ45mm'.

Flux 150 Lm**Material**
Aluminium**BODY COLOUR**

White

CCT.


3000K

LED

Cree

TOM

An array of footlights is available with multiple output options, including some with volumetric effects and others featuring specialty lenses to create mesmerizing outputs.

**CH OF-78-3W**

A small icon of a key, followed by the text 'φ45mm'.

Flux 150 Lm**Material**
Aluminium



DOT

Dot is a recessed footlight offered in multiple size options with varying intensity levels.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree




CH 1411-2x1W

 110x110x60mm

Flux 160 Lm

Material
Aluminium




CH 1411-4x1W

 165x110x60mm

Flux 320 Lm

Material
Aluminium



CH 1411-6x1W

 205x110x60mm

Flux 480 Lm

Material
Aluminium







SPIKE LIGHT

Spike lights, slender and elegant, are designed to illuminate pathways and gardens with a soft, upward glow. These fixtures, often made of ADC12, are installed directly into the ground, adding a touch of sophistication to outdoor spaces.



OSLO

Oslo Series offers versatile surface-mounted and spike spotlights designed to enhance outdoor spaces with precision. Finished in Forest Green, it delivers strong, reliable lighting.

BODY COLOUR

Sand Green

CCT.


3000K

LED

Bridgelux




Spot Light
pg. 248



CH 2510-4W

Flux 222 Lm


Material
Aluminium



CH 2510-7W

Flux 484 Lm

Material
Aluminium



CH 2510-12W

Flux 821 Lm

Material
Aluminium





OSLO


Oslo Series offers versatile surface-mounted and spike spotlights designed to enhance outdoor spaces with precision. Finished in Forest Green, it delivers strong, reliable lighting.

BODY COLOUR	CCT.	LED
Sand Green	3000K	Bridgelux

IP 65	CRI ≥90	DC 24V
-------	---------	--------




Spot Light
pg. 250



CH 2510-4W

Flux 222 Lm


Material
Aluminium



CH 2510-7W

Flux 484 Lm

Material
Aluminium



CH 2510-12W

Flux 821 Lm

Material
Aluminium





COPA

Copa Series provides flexible spotlights with full movement and multiple mounting options like tree belt. Finished in red to blend outdoors, it delivers precise directional lighting.

BODY COLOUR

Sand Brown

CCT.


3000K

LED

Bridgelux




Spot Light
pg. 252



CH 2511-1X5W

Flux 311 Lm


Material
Aluminium



CH 2511-3X5W

Flux 622 Lm

Material
Aluminium



CH 2511-5X5W

Flux 933 Lm

Material
Aluminium





GARO

Garo offers versatile outdoor spotlights with beam options, glare control, and accessory choices like honeycomb louvers, cowls and spikes. Built for harsh conditions, it delivers precise, reliable lighting.

BODY COLOUR

Black

CCT.


3000K

LED

Seoul
Semiconductor




Spot Light
pg. 254



CH 2549-5W

Flux 150 Lm


Material
Aluminium



CH 2549-8W

Flux 350 Lm


Material
Aluminium



CH 2549-15W

Flux 798 Lm


Material
Aluminium



CH 2549-24W

Flux 889 Lm

Material
Aluminium





GARO

Garo offers versatile outdoor spotlights with beam options, glare control, and accessory choices like honeycomb louvers, cowls and spikes. Built for harsh conditions, it delivers precise, reliable lighting.

BODY COLOUR

Black

CCT.


3000K

LED

Seoul
Semiconductor




Spot Light
pg. 256



CH 2549-5W

Flux 150 Lm



Material
Aluminium



CH 2549-8W

Flux 350 Lm


Material
Aluminium



CH 2549-15W

Flux 798 Lm

Material
Aluminium



CH 2549-24W

Flux 889 Lm

Material
Aluminium





ZONE

Zone is a range of spike and surface-mounted high-performance spotlights, featuring an efficient heatsink design and crafted from ADC12 material for superior thermal management.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Cree



Spot Light
pg. 270



CH 19109-12W

Flux 770 Lm

Material

Aluminium





RHINO

Rhino is a range of surface-mounted and spike-mounted spotlights, available in two wattage options and multiple beam angle configurations.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Cree



Spot Light
pg. 268




CH 2373-15W

Flux 900 Lm

Material
Aluminium



15 | 24 | 36°



CH 2373-24W

Flux 1440 Lm

Material
Aluminium



15 | 24 | 36°



GATSBY

Gatsby is a range of compact spike and surface-mounted lights, offered in multiple wattage options.

BODY COLOUR

Grey

CCT.


3000K

LED

Epistar




Spot Light
pg. 272



CH 2109-3W

Flux 257Lm

Material
Aluminium



CH 2109-7W

Flux 586 Lm

Material
Aluminium



CH 2109-12W

Flux 1147 Lm

Material
Aluminium





BODY COLOUR

Dark Grey

CCT.

3000K

LED

Cree

DAG



65°




IP
65



CRI
≥80

Dag is a spike light designed with a 90-degree tilt movement for enhanced flexibility.



CH 19108-8W

Flux 465 Lm

Material

Aluminium







SPOT LIGHT

Outdoor spot lights, like celestial stars, illuminate specific areas with focused beams of light. These versatile fixtures, offer a dramatic and dynamic way to highlight architectural features, landscape elements, or artwork. Crafted from durable materials like ADC12 Aluminium, outdoor spot lights offer a harmonious blend of form and function, enhancing the ambiance of any outdoor space.



OSLO

Oslo Series offers versatile surface-mounted and spike spotlights designed to enhance outdoor spaces with precision. Finished in Forest Green, it delivers strong, reliable lighting.

BODY COLOUR

Sand Green

CCT.


3000K

LED

Bridgelux




Spike Light
pg. 230



CH 2510-S-4W

Flux 222 Lm


Material
Aluminium



CH 2510-S-7W

Flux 484 Lm

Material
Aluminium



CH 2510-S-12W

Flux 821 Lm

Material
Aluminium





OSLO

Oslo Series offers versatile surface-mounted and spike spotlights designed to enhance outdoor spaces with precision. Finished in Forest Green, it delivers strong, reliable lighting.

BODY COLOUR

Sand Green

CCT.


3000K

LED

Bridgelux




Spike Light
pg. 232



CH 2510-S-4W

Flux 222 Lm


Material
Aluminium



CH 2510-S-7W

Flux 484 Lm

Material
Aluminium



CH 2510-S-12W

Flux 821 Lm

Material
Aluminium





COPA

Copa Series provides flexible spotlights with full movement and multiple mounting options like tree belt. Finished in red to blend outdoors, it delivers precise directional lighting.

BODY COLOUR

Sand Brown

CCT.


3000K

LED

Bridgelux




Spike Light
pg. 234



CH 2511-S-1X5W

Flux 311 Lm


Material
Aluminium



CH 2511-S-3X5W

Flux 622 Lm

Material
Aluminium



CH 2511-S-5X5W

Flux 933 Lm

Material
Aluminium





GARO

Garó offers versatile outdoor spotlights with beam options, glare control, and accessory choices like honeycomb louvers, cowls and spikes. Built for harsh conditions, it delivers precise, reliable lighting.



BODY COLOUR

Black

CCT.


3000K

LED

Seoul
Semiconductor




Spike Light
pg. 236



CH 2549-S-5W

Flux 150 Lm



Material
Aluminium



CH 2549-S-8W

Flux 350 Lm


Material
Aluminium



CH 2549-S-15W

Flux 798 Lm


Material
Aluminium



CH 2549-S-24W

Flux 889 Lm

Material
Aluminium





GARO

Garó offers versatile outdoor spotlights with beam options, glare control, and accessory choices like honeycomb louvers, cowls and spikes. Built for harsh conditions, it delivers precise, reliable lighting.

BODY COLOUR

Black

CCT.


3000K

LED

Seoul
Semiconductor




Spike Light
pg. 238



CH 2549-S-5W

Flux 150 Lm


Material
Aluminium



CH 2549-S-8W

Flux 350 Lm


Material
Aluminium



CH 2549-S-15W

Flux 798 Lm

Material
Aluminium



CH 2549-S-24W

Flux 889 Lm

Material
Aluminium





BIRDY

Birdy Surface Spot draws inspiration from a bird's form, blending naturally into outdoor architecture. Built for strong, reliable lighting while staying visually subtle in its surroundings.

BODY COLOUR


Grey

CCT.

3000K

LED

Epistar



CH 2514-9W

Flux 416 Lm

Material

Aluminium



30°



KYRO

Kyro Outdoor Surface Luminaire delivers a precise, narrow beam that sharply highlights facades and architectural details. Designed for outdoor lighting with a dramatic, refined effect.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



CH 2548-3W

Flux 246 Lm

Material

Aluminium





PHIZ

Phiz is an elegant outdoor spotlight crafted to resemble a compact speaker, making it ideal for accentuating indoor landscaping where aesthetics play a crucial role. Its design seamlessly integrates with the surrounding landscape.

BODY COLOUR

Sand Black

CCT.

3000K

LED

Cree



CH 2205-S-8.8W

Flux 560 Lm

Material

Aluminium



24°



CH 2205-S-19.8W

Flux 1180 Lm

Material

Aluminium



24°



SPUTNIK

Sputnik is a range of surface-mounted spotlights available in multiple beam angles and wattage options, perfect for accentuating features and creating intricate moods and layered lighting in landscapes and gardens.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree




CH 2428-4W

Flux 240 Lm

Material

Aluminium



CH 2428-8W

Flux 480 Lm

Material

Aluminium





APOS

Apos is a surface-mounted spotlight with a narrow beam, ideal for highlighting focal points in outdoor landscaping.

BODY COLOUR



Dark Grey

CCT.

3000K

LED

Osram



CH 2215-15W

Flux 1250 Lm

Material

Aluminium





RHINO

Rhino is a range of surface-mounted and spike-mounted spotlights, available in two wattage options and multiple beam angle configurations.

BODY COLOUR

Dark Grey

CCT.


3000K

LED

Cree



Spike Light
pg. 242



CH 2373-S-15W


Flux 900 Lm

Material

Aluminium +



15 | 24 | 36°



CH 2373-S-24W

Flux 1440 Lm

Material

Aluminium



15 | 24 | 36°



ZONE

Zone is a range of spike and surface-mounted high-performance spotlights, featuring an efficient heatsink design and crafted from ADC12 material for superior thermal management.

BODY COLOUR

Dark Grey

CCT.

3000K

LED

Cree



Spike Light
pg. 240



CH 19109-S-12W

Flux 750 Lm

Material

Aluminium





GATSBY

Gatsby is a range of compact spike and surface-mounted lights, offered in multiple wattage options.

BODY COLOUR

Dark Grey

CCT.

3000K

LED

Epistar




Spike Light
pg. 244



CH 2109-S-3W

Flux 257Lm


Material
Aluminium



CH 2109-S-7W

Flux 586 Lm

Material
Aluminium



CH 2109-S-12W

Flux 1147 Lm

Material
Aluminium







INGROUND LIGHT

Inground lights, subtle yet effective, illuminate pathways and gardens with a soft, ambient glow. These fixtures, recessed into the ground, offer a minimalist and elegant way to enhance the beauty of outdoor spaces.

VOSTRO

Vostro is a family of drive-over luminaires crafted from stainless steel 316 for enhanced durability. Rated IK10 for impact protection, its standout feature is its sleek design, making it ideal for spaces with low floor depth. It is available in 1-way, 2-way, and 4-way sideward illumination options.

BODY COLOUR

Silver


LED

Osram

CCT.

3000K






CH 2377-1-2W

 $\phi 59\text{mm}$


Material
SS-304 + AL-6063



CH 2377-2-2W

 $\phi 59\text{mm}$

Material
SS-304 + AL-6063



CH 2377-4-2W

 $\phi 59\text{mm}$

Material
SS-304 + AL-6063



VOSTRO

BODY COLOUR


Silver

CCT.

3000K

LED

Osram




CH 2377-1-6W

 $\phi 95\text{mm}$

Material

SS-304 + AL-6063




CH 2377-2-6W

 $\phi 95\text{mm}$

Material

SS-304 + AL-6063



CH 2377-4-6W

 $\phi 95\text{mm}$


Material

SS-304 + AL-6063






Vostro is a family of drive-over luminaires crafted from stainless steel 316 for enhanced durability. Rated IK10 for impact protection, its standout feature is its sleek design, making it ideal for spaces with low floor depth. It is available in 1-way, 2-way, and 4-way sideward illumination options.



CH 2377-1-8W

 $\phi 150\text{mm}$


Material
SS-304 + AL-6063



CH 2377-2-8W

 $\phi 150\text{mm}$

Material
SS-304 + AL-6063



CH 2377-4-8W

 $\phi 152\text{mm}$

Material
SS-304 + AL-6063



TEMA

Tema is a series of inground luminaires featuring a tilting mechanism of +/- 30 degrees, allowing for precise lighting design to highlight objects at specific angles. The light source is equipped with hexcell louvers to minimize glare from all directions. It is available in three wattage options.

BODY COLOUR


Stainless Steel

LED


Cree

CCT.

3000K



±30°




CH 2376-3W

 $\phi 80 \times 95 \text{ mm}$

Flux 120 Lm

Material
SS-316 + ADC12




CH 2376-6W

 $\phi 104 \times 101 \text{ mm}$

Flux 270 Lm

Material
SS-316 + ADC12



CH 2376-9W

 $\phi 120 \times 113 \text{ mm}$

Flux 300 Lm

Material
SS-316 + ADC12



STENOS

Stenos is an inground luminaire designed with custom narrow-beam optics that emit a focused single beam of light.

BODY COLOUR

Sand Black


LED

Cree

CCT.

3000K





CH 2150-3W

 38mm

Flux 251 Lm

Material
Aluminium



PULSE



Pulse is an inground luminaire available with narrow and very wide beam optics, featuring a stainless steel 316 cover for durability.

BODY COLOUR


Silver

CCT.

3000K

LED

Cree



CH 2433-1W

 Ø22x55mm

Flux 60 Lm

Material

Aluminium + Stainless Steel



15 | 60°

AZA

Aza is an inground luminaire offering sideward illumination with one-way, two-way, three-way, and four-way optics, designed as a walkover lamp.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Bridgelux




CH 2389-1-5W

$\Phi 39\text{mm}$

Flux 265 Lm

Material
Aluminium




CH 2389-2-5W

$\Phi 39\text{mm}$

Flux 265 Lm

Material
Aluminium




CH 2389-3-5W

$\Phi 39\text{mm}$

Flux 265 Lm

Material
Aluminium



CH 2389-4-5W

$\Phi 39\text{mm}$

Flux 265 Lm

Material
Aluminium



RAFFLE

Raffle is an inground luminaire featuring 10x60-degree optics, making it ideal for wall grazing.

BODY COLOUR


Silver


CCT.

3000K

LED

Osram







CH 2375-6.5W

 210x70x100mm

Flux 400 Lm

Material
Aluminium




CH 2375-36W

 990x70x100mm

Flux 2700 Lm

Material
Aluminium





BERT

Bert is a drive-over inground luminaire available in two configurations: one-way and two-way illumination. It is IK10-rated for high impact protection.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree




CH 2363-6W

Φ137x96mm

Flux 29 Lm

Material
Aluminium



CH 2363-2x6W

Φ137x96mm

Flux 59 Lm

Material
Aluminium





TIOS

Tios is an inground luminaire equipped with asymmetrical lenses, designed to perfectly highlight walls.

BODY COLOUR

Silver

CCT.

3000K

LED

Cree



CH 2216-8W

 $\Phi 137 \times 110 \text{mm}$

Flux 550 Lm

Material
Aluminium



55° x 77°



TROY

BODY COLOUR

Silver SN


CCT.

3000K

LED

Cree

CRI
≥80



CH 6344-1x5W

Φ60x106mm

Flux 350 Lm

Material


Aluminium + Stainless Steel



40°



67



CH 6345-1x10W

Φ86x145mm

Flux 1070 Lm

Material


Aluminium + Stainless Steel



23°



65



CH 6345-1x15W

Φ105x155mm

Flux 1050 Lm

Material

Aluminium + Stainless Steel




23°



67

PARA

Para is a series of compact inground luminaires offered in narrow and wide beam options. Its shallow depth is designed to address lighting challenges in areas with limited floor depth. Ideal for highlighting trees and pillars, it is available in multiple wattage options ranging from 3W to 18W.



PARA

BODY COLOUR



SN

CCT.

3000K

LED

Osram




CH 2374-3W

$\phi 94\text{mm}$

Flux 150 Lm

Material

Aluminium







CH 2374-6W

$\phi 120\text{mm}$

Flux 330 Lm

Material

Aluminium




CH 2374-9W

$\phi 140\text{mm}$

Flux 450 Lm

Material

Aluminium




CH 2374-12W

$\phi 175\text{mm}$

Flux 600 Lm

Material

Aluminium




CH 2374-18W

$\phi 202\text{mm}$

Flux 900 Lm

Material

Aluminium





TERRA

Terra is a series of slim inground luminaires available in various wattage options, starting as low as 0.2W, perfect for creating captivating floor designs.

BODY COLOUR


Silver SN

CCT.

3000K

LED

Epistar (1W) |
BridgeLux (2W)



CH 2016-1W

Flux 110 Lm
Material
Stainless Steel



CH 2018-2W

Flux 170 Lm
Material
Stainless Steel

BODY COLOUR

Silver SN

CCT.


3000K

LEDPhilips (0.5W) |
Osram (1W)


TERRA



Terra is a series of slim inground luminaires available in various wattage options, starting as low as 0.2W, perfect for creating captivating floor designs.

**CH 2013-0.5W****Flux** 35 Lm**Material**

Stainless Steel

**CH 2014-1W****Flux** 140 Lm**Material**

Stainless Steel

**BODY COLOUR**

Silver SN

CCT.


3000K

LED


Philips

TERRA

Terra is a series of slim inground luminaires available in various wattage options, starting as low as 0.2W, perfect for creating captivating floor designs.

**CH 2011-0.2W****Flux** 14 Lm**Material**

Stainless Steel

**CH 2012-0.2W****Flux** 14 Lm**Material**

Stainless Steel







WALL- WASHER LIGHT

Outdoor wall washers, like gentle brushes of light, illuminate architectural facades and landscape features with a soft, even glow. These fixtures, often mounted discreetly, cast a broad beam of light that washes over surfaces, enhancing their texture and detail. Crafted from durable materials like metal or Aluminium, outdoor wall washers offer a sophisticated and understated way to elevate the beauty of any outdoor space.



DYNAMO V.2

Featuring a rotating glass mechanism, it creates a mesmerizing water ripple effect on walls, delivering dynamic and immersive lighting without the need for an actual water body.

BODY COLOUR


Grey

CCT.

3000K

LED

Sanan Led



CH 2551-32W

Flux 2240 Lm

Material

Aluminium



TORSO

Torso is a linear wall grazer designed with 15°x25° wall grazing optics, engineered for superior performance.

BODY COLOUR

Silver Grey

CCT.

3000K

LED

Osram

DC
24V

IP
65

CRI
≥80






CH 2387-18W

Flux 1260 Lm

Material
Aluminium



15°x25°



CH 2387-36W

Flux 2520 Lm

Material
Aluminium



15°x25°

DAM

Dam is a linear wall grazer equipped with 20°x30° wall grazing optics and a dam board to minimize glare.

BODY COLOUR

Silver Grey

CCT.

3000K

LED


Osram

DC
24V

IP
65

CRI
≥80






CH 2502D-8W

Flux 600 Lm

Material
Aluminium



20°x30°




CH 2386D-12W

Flux 840 Lm

Material
Aluminium



20°x30°



CH 2386D-24W

Flux 1680 Lm

Material
Aluminium



20°x30°



SLOPIA

Slopia features specialized narrow-beam optics capable of covering distances up to 35/50 meters. It is offered in two wattage and intensity options.

BODY COLOUR

Dark Grey


CCT.

3000K

LED

Cree


CRI
≥80



CH 2054-12W

Flux 1320 Lm

Material
Aluminium



CH 2054-24W

Flux 1680 Lm

Material
Aluminium





LINE

Line is a wall-mounted narrow-beam luminaire with a 15-degree lens, capable of covering areas up to 4 meters.

BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



CH 2282-9W

Flux 720 Lm

Material

Aluminium



15°

OGLO

Oglo is a range of single-color and RGB wall washers crafted from extruded aluminum, featuring advanced optics for enhanced performance.

BODY COLOUR

Grey


CCT.

3000K |  RGB (DMX)

LED

Cree






CH 5336-18W (RGB)

Flux 1440 Lm



Material
Aluminium



CH 5336-36W (RGB)

Flux 2520 Lm


Material
Aluminium



CH 5847-45W

Flux 3600 Lm


Material
Aluminium



CH 6754-60W

Flux 4800 Lm

Material
Aluminium







UNDER-WATER LIGHT

Underwater lights illuminate the depths of aquatic environments. These specialized fixtures, designed to withstand the pressure and corrosive effects of water, cast a mesmerizing glow, revealing hidden wonders and transforming underwater landscapes into breathtaking spectacles.

Note:

Extra wire should not be shortened & underwater products should not be switched on outside the water body. Doing so will void the warranty.



ELLIPSIS

Ellipsis is a recessed-mounted IP68 underwater light, designed to withstand Bar 1 pressure. It is available in two wattage options and is crafted from pure stainless steel for long-lasting and reliable performance.

BODY COLOUR

Silver SS

CCT.

3000K

LED

Cree




CH 2379-4x3W



CH 2379-6x3W

Note: Constant voltage driver to be placed at remote location.





CH 2379-4x3W




Flux 825 Lm

Material

Stainless Steel




CH 2379-6x3W



Flux 1269 Lm

Material

Stainless Steel





BRILLE

Brille is a surface-mounted IP68 underwater light, rated to withstand Bar 1 pressure and constructed from pure stainless steel for durable, long-lasting performance.

BODY COLOUR

Silver SS

CCT.


3000K

LED

Cree



Note: Constant voltage driver to be placed at remote location.




CH 2378-6x1W

Flux 531 Lm

Material

Stainless Steel





URIEL

Uriel is a range and surface-mounted underwater lights available in single-color format, constructed from stainless steel 316 for durable, long-lasting performance.

BODY COLOUR

Silver

CCT.


3000K

LED

Cree



Note: Constant current driver to be placed at remote location.



CH 023-3W

Flux 300 Lm

Material

Stainless Steel





URIEL

Uriel is a range of surface-mounted underwater lights available in single-color format, constructed from stainless steel 316 for durable, long-lasting performance.

BODY COLOUR

Silver

CCT.


3000K

LED

Cree



Note: Constant current driver to be placed at remote location.



CH 021-1W

Flux 100 Lm

Material

Stainless Steel





BOMBI

Bombi is a collection of recessed and surface-mounted underwater lights offered in single-color format, built with stainless steel 316 to ensure durability and long-lasting performance.

BODY COLOUR

Silver SN

CCT.

3000K

LED

Cree




Note: Constant voltage driver to be placed at remote location.



CH 141-5W



CH 270-10W




CH 141-5W

Φ68mm

Flux 408 Lm

Material

Stainless Steel



CH 270-10W

Φ84mm

Flux 737 Lm

Material

Stainless Steel





DELUGE

BODY COLOUR

Silver

CCT.


3000K

LED

Cree



Note: Constant voltage driver to be placed at remote location.



CH B5AD-1216-12x2W

Flux 807 Lm

Material

Stainless Steel



15°

BODY COLOUR

Silver SN

CCT.

3000K

LED


Cree

UNO

20°



Uno is a compact, miniature-sized underwater luminaire.



φ18mm

CH 112-RD-1W**Flux** 100 Lm**Material**

Stainless Steel



φ18mm

CH 112-SQ-1W**Flux** 100 Lm**Material**

Stainless Steel



Note: Constant current driver to be placed at remote location.

BODY COLOUR

Silver SN

CCT.


3000K

LED

Cree

TRIGO

Trigo is a sleek and compact underwater luminaire designed to provide diffused illumination.

**CH 308-0.6W**


φ40mm

Flux 40 Lm**Material**

Stainless Steel



120°



Note: Constant voltage driver to be placed at remote location.

WATERPROOF JOINTERS



CH J-19115

WATERPROOF JOINTER
(Suitable for 1-6.5mm Cable 0.5-1-5sqmm)

Size 72.3x19mm



CH J-19116

WATERPROOF JOINTER
(Suitable for 0-9mm Cable 1-2.sqmm)

Size 73x24.5mm



CH J-19118

WATERPROOF JOINTER
(Suitable for 1-2.5sqmm Cable)

Size 90x60x23.3mm

Material
Nylon PA66



CHANGI®

Outdoor lighting is a versatile and essential element of any outdoor space, enhancing both its beauty and functionality. From illuminating pathways and walkways to accentuating architectural features and creating a festive atmosphere, outdoor lighting offers a myriad of possibilities. With careful planning and selection of fixtures, outdoor lighting can transform any outdoor space into a magical and inviting oasis.

CHANGI[®]
Light has no boundaries



www.changilighting.com

